



**SELECTION
INDUSTRY AND
TECHNICAL
SECTORS**

2025



DISCOVER OUR LATEST INNOVATIONS AND NEW PRODUCTS



FRENCH MANUFACTURER

CONTENTS

WORKSHOP EQUIPMENT AND STORAGE

COCKPIT tool trolley.....	6 - 7
COCKPIT tool trolley compositions.....	8 - 9
Modules with tools for tool trolleys.....	10 - 11
XLINER tool trolleys.....	12
PROLINER and CLASSIC tool trolleys.....	13
Sets options for tool trolleys.....	14 - 16
Workbenches.....	17
B'UP textile storage.....	18 - 22
Compositions with B'UP storage.....	20 - 21
Textile storage.....	23 - 26
Empty and filled tool boxes.....	27
Multi-tool cases.....	28 - 31

RATCHETS AND SOCKETS

FAST ratchets.....	32
Socket boxes.....	32 - 37
Extensible ratchet.....	33
Through-socket boxes.....	35
IMPACT sockets.....	35

CONTROLLED CLAMPING

INITIAL torque wrenches.....	36
------------------------------	----

FIXED- AND VARIABLE-OPENING WRENCHES

Ratchet combination wrenches.....	38
Combination wrenches.....	39
Ratchet wrenches 4x4 - articulated.....	40
ADAPT'BOX.....	40
Open-end pipe wrenches.....	41
Adjustable wrenches.....	42
Scaffolding wrench.....	42

SCREWDRIVER BITS

Screwdriver bits.....	43 - 45
-----------------------	---------

SCREWDRIVERS AND HEX WRENCHES

UNO and REDGRIP screwdrivers.....	46
MICRO precision screwdriver.....	47
Magnetic hex wrenches S2.....	47
CRV and PROTANIUM hex wrenches.....	48

PLIERS, SHEARS AND BOLT CUTTERS

FORTISSIMO and stacking pliers.....	49
Bimaterial pliers.....	50
Locking pliers.....	50
Bolt cutters with forged arms and tube arms.....	51

SAWING, CUTTING

METALCUT hacksaw frame.....	52
Cutter.....	52
Shears.....	52
Pincers.....	52

JOINT CUTTERS

Set of interchangeable joint cutters.....	53
-------------------------------------------	----

HAMMERS AND STRIKING TOOLS

Engineer's hammers CARBON handle.....	54
Engineer's hammers with Hickory handle - Ash - Protect.....	54 - 55
DUO hammers.....	55
CARBON sledgehammer.....	56
Double-hard mallet.....	56
Chisels and pin-chasers.....	57

FILES

File set.....	57
Needle files.....	57

GENERAL MAINTENANCE

POWER BAR.....	58
Vices.....	59
Magnetic square.....	59
Riveting pliers.....	60
Calipers.....	60
Extractors.....	60
Compact short measurement and ROLL'UP.....	61
PROTECH mat.....	61
FASTER ratchet strap.....	61
Magnetic level.....	61
SLIMLED - FIXLED lights.....	62

ELECTRICAL MAINTENANCE

Trolley case.....	63
DUOBAG 53 pieces.....	63
Insulated stripping pliers 1000V.....	63
1000V insulated screwdrivers.....	63
Scissors.....	65
Knife.....	65
Crimping pliers.....	65
Cable cutters.....	65
Automatic wire stripper.....	65

PLUMBING MAINTENANCE

Stillson keys.....	66
Pipe cutters.....	66
Compact adjustable wrenches.....	66
DUOBAG plumbing.....	67
Load lifter.....	68
Fitter's table.....	69

MONDELIN COMPLEMENTARY TOOLS

MODULAIR platform.....	72 - 73
PIRL secured stepladders.....	74 - 75
NINJA platform.....	76
Aluminium stepladders.....	77
Step tools.....	78
Workbench and trestles.....	79
Hand truck and SWIFT platforms.....	80
Flash light.....	81

P6/7

COCKPIT : THE UNFOLDING TOOL TROLLEY



P46

UNO : SCREWDRIVERS ALWAYS TIDY



P49

FORTISSIMO : FAST, SELF-LOCKING PLIERS



P32

FAST RATCHET : FOR WORKING IN ANY POSITION



P18

HIGH VOLUME SOLUTION B'UP



P55

DUO : THE ONLY HAMMER WITH A MALLET TIP





NEW PRODUCT AND INNOVATIONS










Innovation is at the heart of the MOB brand identity. Each new product development is based on essential, necessary and indispensable criteria to ensure comfort, safety and reliability during your maintenance operations.

THE MOST POPULAR PRODUCTS

Quickly and easily find the products most commonly used in the world of industrial maintenance: mechanical, electrical, piping...

MOBEST





MOB IN 5 KEY POINTS

ANCESTRAL KNOW-HOW COMBINED WITH NEW TECHNOLOGIES



A CENTENNIAL FRENCH BRAND

With **105 years'** experience, **MOB** designs and manufactures hand tools for for **professional users in industry and technical sectors**. Its core range is built around storage solutions, ratchets and sockets, wrenches, screwdrivers... all essential products for industrial maintenance. **MOB** stands out for its expertise in **steel, plastics, wood and sheet metal**.

A FAMILY STORY



With **4 successive generations** at the head of the brand, **MOB** is not only a family story, but also a **human** adventure rich in **values** and **commitments**. From the first hammers to the latest innovations manufactured in France, **MOB is the tool expert reference**, combined with the demands of technicians, leads to successful maintenance operations.

A COMPLETE INDUSTRIAL KNOW-HOW



MOB combines its **ancestral blacksmithing know-how** with **modern technologies** to offer a range of **innovative, reliable and durable tools**. Products are developed in close collaboration with valued partners who use hand tools on a daily basis. Great importance is attached to design, to create tools that are pleasant to use.

A BRAND THAT LISTENS TO ITS USERS

Particular attention is paid to users. **MOB** listens to its customers and adapts its products according to their feedback. The tools developed by the R&D department are perfectly suited to the **needs** encountered during installation operations, and ensure **safe** maintenance missions.



AN EMBLEMATIC TOOL: THE RIVOIR HAMMER

MOB is Europe's leading manufacturer of industrial hammers. The **hammer** - which has always been manufactured at Le Chambon-Feugerolles - takes a central place in the brand's history.

MOB tools are affordable and repairable. They last for a long time and are adapted for every job.

Bruno GILBERT
SMI42 technician in Firminy (42)





Mob's close relation with end users is a key strength to manufacture tools that suit industry requirements

Pascal CHATELARD
General Manager of the Metalis Group's Montbrison (42) plant

INTERNATIONAL MINDSET

A BRAND DISTRIBUTED IN 70 COUNTRIES

MOB has 2 subsidiaries - one in **Romania** and one in **Germany** - and a sales office in Spain.

MOB exports worldwide adapting and meeting needs of professional users.

3 FACTORIES IN EUROPE

EVERY YEAR, MORE THAN 2,500,000 DELIVERED PRODUCTS

Mob is part of the Novalia group, which employs nearly **400 people** in Europe, divided between factories, head office, logistics center subsidiaries and sales office.

MOB is committed to industrial relocation to ensure the control and transfer of know-know in Europe.

MOB has 3 manufacturing plants in Europe:
2 in **France**: Le Chambon-Feugerolles and Ambierle,
1 in **Romania**: Brasov.





TOTAL GUARANTEE

ENSURING RELIABLE AND ROBUST TOOLS

GUARANTEE



Reliability is a key parameter of **MOB** brand as well as ergonomy and quality.

All our tools are covered by the **legal warranty** under article 1648 of the French Civil Code, which protects users against hidden defects and manufacturing faults.

To complement this legal warranty, **MOB** offers several levels of warranty, ranging from **5 to 30 years**, and **one level with no time limit**.

Our legal guarantee of conformity and ISO 9001 certification underlines our commitment to quality.

RESPONSIBILITY AND SUSTAINABLE DEVELOPMENT

COMMITTED TO PEOPLE AND THE ENVIRONMENT

MOB has always stood for strong values. We have a role to play in building a society that is more respectful of **people** and our **environment**.

In our factories we make sure to reduce our environmental impact and to set high safety standards to protect our people.

MOB products with PEFC/FSC® certification guarantee responsible management of the world's forests.

92% of our plant suppliers are located in France and **98%** in the European Union.

MOB's Ecovadis rating has risen since 2020 thanks to actions taken in three main areas: **Environment, Social & Human Rights, Ethics and Responsible Purchasing**.

As part of its commitment to **gender equality**, MOB regularly reviews its situation according to official index criteria.





NON SPARKING TOOLS

ENSURING SAFE WORKING

MOB offers a range of non sparking products with 2 types of alloys:

- **COPPER-BERYLLIUM** alloy (Cu-Be 25), a safe alloy for non-magnetic applications thanks to the absence of ferric substances, with strength properties superior to other Copper-Beryllium grades.

- **ALUMINIUM-BRONZE** alloy (Al-Brz), an alloy with minimal ferrous content for non-critical non-magnetic applications.

These products are particularly recommended for use in **explosive atmospheres** (ATEX) of all risk levels (permanent, frequent or simply occasional), with gas (ATEX zone 0 to 2, category 1 to 3) and/or dust (ATEX type 20 to 22).

MOB products comply with the requirements of EN 1127-1 (2008 edition), EN 13463-1 (2007 edition) and EN 13463-5.

When you choose a brand like MOB, you're buying quality above all else. For my technicians, I choose tools that stand the test of time.

Rémi MALLET
Manager of Moules Concept Béton
in Le Chambon-Feugerolles (42).



MOB PRODUCT OFFER

ALL THE POWER, RELIABILITY AND PRECISION OF MOB TOOLS IN YOUR EVERY MOVE

3,500 references in the general catalog.
2,000 references in the explosion-proof tools catalog.





INNOVATION

COCKPIT THE UNFOLDING TOOL TROLLEY



THE COCKPIT DIFFERS FROM ITS COMPETITORS IN **3 MAJOR WAYS**, OFFERING YOU AN OPEN-PLAN WORKSPACE WITH EVERYTHING WITHIN EASY REACH, JUST LIKE IN A COCKPIT.

1



AREA MULTIPLIED-0.63 M2

Double the work surface thanks to a real secondary work surface.

2



ACCESSIBILITY AND STABILITY

Drawers with side opening and anti-tilt system.

3



PRACTICE

20 screwdriver slots in the secondary plane, secured when the cabinet is closed.



INOX

THE MAIN TRAY IS IN TEXTURED

STAINLESS STEEL. A must for impact, scratch and corrosion resistance.



THE COCKPIT REINVENTS THE CARGO

HOLD: accessible, with good visibility and can be fitted out with an optional storage bin.



SIDE BUMPERS

protection.



ELECTRIFICATION OPTION

Allows you to recharge your electrical equipment when the unit is closed.



Flash this code to see the cockpit tool trolley in action!



COCKPIT TOOL TROLLEY

Side-opening trolley with door
2 work surfaces-surface 0.63m²
Anti-tilt 3 open drawers up to 20kg per drawer
Stainless steel top
Side bumpers
3 drawers containing 4 single units
90L storage compartment
Padlock included
Tested to 1 static ton.
Closed dimensions : 1055 x 465 mm
Open dimensions : 1500 x 1060 mm
Height : 975 mm




9527000301



ACCESSORIES FOR COCKPIT TOOL TROLLEY

STATION BRACKET


To be screwed on the worktop
Holds a 100 mm vice
Ref. 646910001R
and rotating base
Ref. 647110010.



9513180501

4 WORKTOP DIVIDERS

2 rails and 4 dividers
removable



9513180301

WOODEN TRAY

Covers stainless steel tray
Size.nsnions: 790x400x25



9513180401



SOCKET KIT: ELECTRICAL TRAP DOOR WITH MULTI-SOCKET

Allows reloading while the tool trolley is closed.
External hatch
16A multi-socket
4 type E (FR) sockets with switch
1.5 m screw-in cable
Size.nsnions: 360x285x90



9513180101

COCKPIT CARGO BOX

Allows you to fit out your hold
Fits over the edges
inside along entire length.
Width of 2 units



9513180201

CODE LOCK

4 numbers



9605010001



COCKPIT 190 TOOLS SET MECHANICAL MAINTENANCE TROLLEY 10 FOAM UNITS

With 4 dividers
+ electrical socket kit
(details p.7)



9527190301

With DUO and FAST

20 Screwdrivers



Slotted : 2,5x0,4x50-3,5x0,6x75-4,0x0,8x100-5,5x1x125-5,5x1,0x150-6,5x1,2x150-8x1,2x200

Torx : T10-T15-T20-T25-T30-T40

PH/PZ : PH0-PH1-PH2-PH2 court / PZ1-PZ2-PZ3

Drawer

1



17 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

13 6X6 socket wrenches : 7-8-9-10-11-12-13-14-15-16-17-18-19 mm

23 pieces 1/2 : 1 FAST ratchet 1/2- 18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm-1 sliding handle-1 joint-2 extension bars 125 and 250 mm

59 pieces 1/4 : 1 FAST ratchet 1/4 13 sockets : 3,2 to 14 mm-1 sliding handle-1 joint 2 extension bars 50 et 125- 9 hex wrenches-30 screwdriver bits-1 grip handle- 1 bit holder sleeve

Drawer

2



7 hex wrenches with T-handle : 2,5-3 mm non spherical-4-5-6-8-10 mm spherical

7 hex wrenches with T-handle torx : T9-T10-T15-T20-T25-T30-T40

4 circlip pliers 19-60 : 1 straight internal-1 90° internal-1 straight external-1 90° external

2 pliers : locking pliers with long jaws -water pump pliers

2 bimaterial pliers : diagonal cutting 160 mm-half-round jaws 170 mm

Drawer

3



Striking tools

DUO hammer 40 mm - workshop ruler 200 mm-Nylon tip -4 punches sets 3, 4, 5, 6 and 8 mm carbide plotter-Chisel 200 mm-centre punch 6 mm

Cutting tools (triple module) : 1 metalcut hacksaw-5 HSS000 saw blades- 1 cutter 18 mm + 10 blades-1 measurement 3 m-1 carbide plotter with clip-1 stainless steel workshop ruler 200 mm

5 200 mm files : 1 flat hand bastard, 1 half-round half-soft, 1 triangular half-soft, 1 half-soft square, 1 round half-soft

COCKPIT

**206 TOOLS SET ELECTROMECHANICAL
MAINTENANCE TROLLEY
11 THERMOFORMED UNITS**



9527206301

20 Screwdrivers



Slotted : Voltage tester 3x0,8x135

Insulated : 2,5x75-3,5x0,6x75-4x0,8x100-5,5x1x125

Bimaterial : 6,5x1,2x150-8x1,2x200

Torx : T10-T15-T20-T25-T30-T40

PH/PZ : PH0-PH1-PH2-PH2 / PZ1-PZ2 insulated: PH1-PH2

Drawer

1



16 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24 mm

10 6X6 socket wrenches : 8-10-11-12-13-14-16-17-18-19 mm

61 pieces 1/4 : 13 sockets: 3,2 to 14 mm-1 sliding handle-1 ratchet 1/4
1 joint-2 extension bars -9 hex wrenches -30 screwdriver bits-1 screwdriver bit holder- 1 bit holder sleeve-1 socket holder

23 pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar
1 ratchet 1/2-1 joint -2 extension bars 125 and 250-1 adapter

Drawer

2



4 insulated pliers 1000 V : universal 180 mm- diagonal cutting 180 mm- wire stripper 160 mm half-round jaws 200 mm

Crimp cutters
crimping pliers + all-purpose shears + 1 box of 30 terminals

Wrench and pliers :
adjustable wrench 200 mm + water pump pliers 240mm

4 circlip pliers 19-60 : straight internal-1 internal 90° - 1 straight external -1 external 90°

Drawer

3



Striking tools

1 engineer's hammer 32 mm -1 plastic-tipped mallet 32

1 engineer cold chisel 200mm- 1 centre punch 6 mm-3 pin punches 4, 5 et 6-1 workshop ruler 20 cm 1 carbide plotter

5 bimaterial files of 200 mm : 1 flat hand bastard -1 half-round half-soft - 1 half-soft square-1 triangular half-soft,-1 round half-soft

Sawing, measuring

Cutter 18 mm-10 blades of 18 mm-measurement de 3 m - 1 metalcut hacksaw-5 HSS000 saw blades



WORKSHOP EQUIPMENT AND STORAGE

Thermoformed units : L385 x l165 x H50 mm



954400500

5 combination wrenches
22-24-27-30-32 mm



9547012001

12 combination wrenches : 8-9-10-
11-12-13-14-16-17-18-19-22 mm



9547016001

16 combination wrenches : 6-7-8-9-10-
11-12-13-14-15-16-17-18-19-22-24 mm



9548012001

12 ratcheting combination
wrenches : 8-9-10-11-12-13-14-
15-16-17-18-19 mm



9545009001

9 open-end wrenches: 6x7-8x9-
10x11-12x13 -14x15-16x18-17x19
-20x22-22x24 mm



9565010001

10 offset socket wrenches 6x6 :
8-10-11-12-13-14-16-17-18-19 mm-**Also
available in 6 x 12-9565010101**



9566003101

3 chromed adjustable wrenches:
200 mm-250 mm-300 mm



9550002301

Adjustable wrench 200 mm +
water pump pliers 240mm



9550002201

Locking pliers with long
jaws - needle-nose pliers
240 mm bimaterial handle



9551004101

4 bimaterial pliers: Universal 180
mm + diagonal cutting 180 mm
- Flat jaws 170 mm - Half-round
jaws 170 mm



9551004201

4 circlip pliers 19-60 :
1 internal straight -1 internal 90°
+ 1 external straight-1 external
90°



9549007601

7 screwdrivers: 1 insulated
electrician 4x100-1 voltage
tester -5 micros 2-2.5-3 mm-
PH0-PH1



9549007101

7 screwdrivers (slotted + PZ) :
3.5x100-4x100-5.5x125
6.5x150-8x150 with screw
PZ1-PZ2



9549007001

7 screwdrivers (slotted + PH) :
3.5x100-4x100-5.5x125
6.5x150-8x150 with screw
PH1-PH2



9549007401

7 screwdrivers (slotted) :
2.5x75-3.5x100-4x100
4x150-5.5x150-5.5x125
- 6.5x150



9549007501

7 screwdrivers (PH + PZ) :
PH0-PH1-PH2
PZ0-PZ1-PZ2
8x150 with screw



9549007201

7 screwdrivers TORX :
T8-T10-T15-T20
T25-T30-T40



9551004401

4 insulated pliers 1000 V :
Universal 180 mm-Diagonal
cutting 180 mm- wire stripper 160
mm- Half-round jaws 200 mm



9549007301

7 insulated screwdrivers 1000 V :
3.5x75-4x100-5.5x125-6.5x150-
PH1-PZ1-PZ2



9550003001

Crimping pliers + All-purpose
shears + 1 box of 30 terminals



9553005001

5 bimaterial files of 200 mm
1 flat hand bastard
1 half-round half-soft 1 half-soft square
1 triangular half-soft
1 round half-soft



9552009001

Striking tools : 1 engineer's ham-
mer 32 1 plastic-tipped mallet 32
1 chisel of 200- 1 centre punch 6
3 pin punch 4, 5 and 6 - 1 workshop
ruler of 20 cm - 1 carbide plotter



9562023001

23 square pieces 1/2 : 17 sockets: 10
to 22-24-27-30-32 mm-1 sliding bar
- 1 ratchet 1/2-1 joint -2 extension
bars 125 and 250-1 adapter



9561061001

61 square pieces 1/4 : : 13 sockets: 3,2
à 14 mm-1 sliding handle-1 ratchet
1/4 - 1 joint-2 extension bars -9 hex
wrenches -30 screwdriver bits-1
screwdriver bit holder- 1 bit holder
sleeve-1 socket holder



9541038001

9 hex wrenches -1 ratchet -10 sockets 5,5 to
14 mm-1 universal joint -2 extension bars ¼
50mm and 125 mm-1 sliding handle
1 handle with sliding drive-13 screwdriver bits
+ socket handle



9558018001

Sawing, measuring :
Cutter 18 mm-10 blades of 18 mm-
measurement de 3 m - 1 metalcut
hacksaw-5 HSS000 saw blades



9540000001

Empty module

Don't forget ...
**CUSHIONING MODULE
THERMO**
for Proliner



9554000201


Foam units : L385 x l165 x H30 mm



9801005001
5 combination wrenches :
27-28-29-30-32 mm



9819012001
12 combination wrenches :
6-7-8-9-10-11-13-14-17-18-
19-21 mm



9800017001
17 combination wrenches : 6-7-8-9-
10-11-12-13-14-15-16-17-18-19-21-
22-24 mm



9811010001
10 combination wrenches with
ratchet : 8-10-11-12-13-14-16-
17-18-19 mm




9802013001
13 offset socket wrenches 6x6 :
7-8-9-10-11-12-13-14-15-16-
17-18-19 mm



9807002001
Locking pliers with long jaws
+ needle-nose pliers 240 mm
bimaterial handle



9808003001
3 bimaterial pliers : Universal 180
mm-diagonal cutting 160 mm-Half-
round jaws 170 mm




9809004001
4 circlip pliers 19-60 :
1 internal straight -1 internal 90° -
1 external straight-1 external 90°




9826004001
Locking pliers with long jaws
- water pump pliers
2 bimaterial pliers :
diagonal cutting 160 mm - Half-
round jaws 170 mm




9823003001
3 insulated pliers 1000 V :
universal 180 mm-diagonal cutting
160 mm-wire stripper 160 mm



9805008001
8 screwdrivers (slotted +PH) : 2.5x75
-3.5x100-4x100-5.5x125-6.5x150
-8x150 with screw -PH1-PH2



9805008101
8 screwdrivers (slotted +PZ) : 2.5x75-
3.5x100-4x100-5.5x125-6.5x150
8x150 with screw -PZ1- PZ2



9806007001
7 screwdrivers (Tamper Torx) :
TT10-TT15-TT20-TT25
TT27-TT30-TT40



9824007001
6 insulated screwdrivers 1000 V :
3.5x75-4x100-5.5x125-6.5x150
PH1-PH-1 voltage testor



9812007001
Stricking tools : 1 32 hickory rivet -1
mallet with 32 plastic tips-1 chisel
200-1 centre punch 6-3 pin punches 4,
5 and 6



9813007001
Stricking tools : 1 Carbon 40 rivet
-1 mallet with plastic tips 32-1 chisel
200-1 centre punch 6-3 pin punches
4, 5 and 6




9825011001
DUO hammer 40 mm - workshop
ruler 200 mm-Nylon tip -4 punches
sets 3, 4, 5, 6 et 8 mm - 1 carbide
plotter-Chisel 200 mm-centre punch
6 mm



0770000101
INTEX
Universal pullers
2/3 reversible claws
2 tons/5 tons



9820007001
7 hex T wrenches :
2.5-3 mm non-spherical
4-5-6-8-10 mm spherical




9821007001
7 hex T wrenches torx :
T9-T10-T15-T20-T25-
T30-T40



9803059001
59 square pieces 1/4 :1 FAST ratchet 1/4
13 sockets : 3,2 to 14 mm-1 sliding handle-1
joint - 2 extension bars 50 et 125- 9 hex
wrenches-30 screwdriver bits-1 grip
handle- 1 bit holder sleeve



9804023001
23 square pieces 1/2 : 1 FAST ratchet 1/2-
18 sockets: 8-9-10-11-12-13-14-15-16-17-18-
19-21-22-24-27-30-32 mm-1 sliding handle-1
joint-2 extension bars 125 and 250 mm



9822008001
8 hex T-wrenches with sockets (
double module) :
6-7-8-10-11-12-13-14 mm



9810025001
Cutting tools (triple module) : 1 metalcut
hacksaw-5 HSS000 saw blades- 1 cutter
18 mm + 10 blades-1 measurement 3
m-1 carbide plotter with clip-1 stainless
steel workshop ruler 200 mm - 1 flat
hand bastard - 1 half-round half-soft - 1
triangular half-soft - 1 half-soft square
- 1 round half-soft

Don't forget ...
**CUSHIONING MODULE
FOAM**



Foam for Proliner
Foam for Classic

Ref.

9554000301

9554000601



9814000001
Empty module



INNOVATION

THE STURDY, HIGH-VOLUME TOOL TROLLEY

XLINER

STAINLESS STEEL TRAY

Textured stainless steel + 2 bimaterial sides : poly-propylene + elastomer

Bimaterial handle integrated into the construction

2 screwdriver pockets

8 screwdriver slots

DRAWERS = LOAD 40 KG

Drawers equipped with bottom mats

100% drawer opening

Drawers are pre-locked to prevent accidental opening unintentional opening when moving unlocked by simply pressing the handle

No need for cushioning units

MORE PRACTICAL

Perforated sides for accessories:

waste garbage can, bottle holder, roll holder

Side bumpers

Epoxy paint

HIGH-VOLUME

INOX




XLINER

6 DRAWERS 4 MODULES

4 drawers H 60 mm

1 drawer H 100 mm

1 drawer H 240 mm



XLINER XL

WITH ANTI-TILT DEVICE


7 DRAWERS 5 MODULES



Prevents multiple drawers from opening simultaneously

5 drawers H 60 mm

2 drawer H 140 mm



XLINER + CABINET

6 DRAWERS 3 MODULES + ARMOIRE

4 drawers H 60 mm

1 drawer H 100 mm

1 drawer H 240 mm

1 cabinet



Cabinet with 2 adjustable inner shelves.
Key lock door



9519000601



9518000701



9522000601

PROLINER



CLASSIC SIMPLE AND STURDY 6 DRAWERS 3 UNITS

4 drawers H 60 mm
1 drawer H 140 mm
1 drawer H 215 mm

Metal tray + foam
100% opening drawers
Bottom mat
Steel handle (supplied unassembled)
Central locking
2 swivel wheels, one of them with brake. 2 fixed unassembled wheels (delivered unassembled)



9523000601

ACCESSORIES FOR TOOL TROLLEYS PROLINER AND XLINER

GARBAGE CAN H 300 mm
9513070701

FLASK HOLDER H 110 mm
9513070601

ROLL HOLDER Ø ext max 160 mm
9513071101

BRIEFCASE H 250 mm 9513071001
SET OF 10 DIVIDERS H 60 mm
9513070801

SET OF 3 DIVIDERS H 100 mm
9513070901



RESISTANCE


Polypropylene tray
Integrated handle

PRATICAL

Perforated sides for accessories: waste garbage can, bottle holder, roll holder.

SAFETY

Drawers are pre-locked to prevent accidental opening when on the move



3 MODULES

PROLINER 5 DRAWERS 3 MODULES

2 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 140 mm
1 drawer H 240 mm



9516000501

PROLINER 6 DRAWERS 3 MODULES

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm



9516000601

PROLINER 7 DRAWERS 3 MODULES

5 drawers H 60 mm
1 drawer H 120 mm
1 drawer H 140 mm



9516000701

PROLINER NOIRE 6 DRAWERS 3 MODULES

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm



9514000601



177 TOOLS SET WITH FOAM MODULES 3 FURNISHED TOOL TROLLEYS

WITH DUO HAMMER
AND FAST RATCHET !



PROLINER

177 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm

9514177601



5 combination wrenches :

27-28-29-30-32 mm

17 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

13 socket wrenches 6x6 : 7-8-9-10-11-12-13-14-15-16-17-18-19 mm



2 pliers : Locking pliers with long jaws + needle-nose pliers 240 mm bimaterial handle

3 bimaterial pliers : 3 bimaterial pliers : Universal 180 mm-diagonal cutting 160 mm-Half-round jaws 170 mm

4 circlip pliers 19-60 : 1 internal straight -1 internal 90° - 1 external straight -1 external 90°

PROLINER

177 TOOLS

7 DRAWERS

5 drawers H 60 mm
1 drawer H 120 mm
1 drawer H 140 mm

9516177701



8 screwdrivers (slotted +PZ) : 2.5x75-3.5x100-4x100-5.5x125-6.5x150 8x150 with screw -PZ1- PZ2

7 screwdrivers (Tamper Torx) :

TT10-TT15-TT20-TT25
TT27-TT30-TT40

Striking tools and tracing :

DUO hammer 40 mm - workshop ruler 200 mm-Nylon tip -4 punches sets 3, 4, 5, 6 et 8 mm - 1 carbide plotter-Chisel 200 mm-centre punch 6 mm



59 square pieces 1/4 : 1 FAST ratchet 1/4 13 sockets : 3,2 to 14 mm-1 sliding handle-1 joint - 2 extension bars 50 et 125- 9 hex wrenches-30 screwdriver bits-1 grip handle- 1 bit holder sleeve

23 square pieces 1/2 : 1 FAST ratchet 1/2- 18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm-1 sliding handle-1 joint-2 extension bars 125 and 250 mm

Empty module

XLINER

177 TOOLS

7 DRAWERS

ANTI-TILT SYSTEM
5 drawers H 60 mm
2 drawer H 140 mm

9518177701



Cutting tools (triple module) : 1 metalcut hacksaw-5 HSS000 saw blades- 1 cutter 18 mm + 10 blades- 1 measurement 3 m-1 carbide plotter with clip-1 stainless steel workshop ruler 200 mm - 1 flat hand bardard - 1 half-round half-soft - 1 triangular half-soft - 1 half-soft square - 1 round half-soft

133 TOOLS SET WITH FOAM MODULES 3 FURNISHED TOOL TROLLEYS

MOBEST

**WITH DUO HAMMER
AND FAST RATCHET !**



CLASSIC

133 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 140 mm
1 drawer H 215 mm

9523133601



12 combination wrenches : 6-7-8-9-10-11-13-14-17-18-19-21 mm

13 socket wrench s6x6 : 7-8-9-10-11-12-13-14-15-16-17-18-19 mm

4 pliers : Locking pliers with long jaws
- water pump pliers
2 bimaterial pliers : diagonal cutting 160 mm - Half-round jaws 170 mm

PROLINER

133 TOOLS

6 DRAWERS

4 drawers H 60 mm
1 drawer H 100 mm
1 drawer H 240 mm

9514133601



8 screwdrivers (slotted+PZ) : 2.5x75-3.5x100-4x100-5.5x125-6.5x150
8x150 with screw -PZ1- PZ2

7 screwdrivers (Tamper Torx) : TT10-TT15-TT20-TT25
TT27-TT30-TT40

Striking tools and tracing
DUO hammer 40 mm - workshop ruler 200 mm-Nylon tip -4 punches sets 3, 4, 5, 6 et 8 mm - 1 carbide plotter-Chisel 200 mm-centre punch 6 mm

PROLINER

133 TOOLS

7 DRAWERS

5 drawers H 60 mm
1 drawer H 120 mm
1 drawer H 140 mm

9516133701



59 square pieces 1/4 : 1 FAST ratchet 1/4
13 sockets : 3,2 to 14 mm-1 sliding handle-1 joint - 2 extension bars 50 et 125- 9 hex wrenches-30 screwdriver bits-1 grip handle- 1 bit holder sleeve

23 square pieces 1/2 : 1 FAST ratchet 1/2-18 sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm-1 sliding handle-1 joint-2 extension bars 125 and 250 mm

Empty module



PROLINER

156 TOOLS



TOOL TROLLEY 6 DRAWERS WITH THERMOFORMED UNITS



5 combination wrenches : 22-24-27-30-32 mm

16 combination wrenches : 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24 mm

10 socket wrenches 6x6 : 8-10-11-12-13-14-16-17-18-19 mm



2 pliers : Locking pliers with long jaws + needle-nose pliers 240 mm bimaterial handle

4 pliers bimatière : 4 bimaterial pliers: Universal 180 mm + diagonal cutting 180 mm + Flat jaws 170 mm - Half-round jaws 170 mm

4 circlip pliers 19-60 : 1 internal straight -1 internal 90° - 1 external straight -1 external 90°

9516156601



7 screwdrivers (slotted) : 2.5x75-3.5x100-4x100-4x150-5.5x150-5.5x125-6.5x150

7 screwdrivers (PH + PZ) : PH0-PH1-PH2-PZ0-PZ1-PZ2 8x150 with screw

7 screwdrivers TORX : T8-T10-T15-T20-T25-T30-T40



5 bimaterial files of 200 mm : 1 flat hand bastard - 1 half-round half-soft 1 half-soft square - 1 triangular half-soft- 1 round half-soft

Striking tools : 1 engineer's hammer 32 1 plastic-tipped mallet 32 - 1 chisel of 200- 1 centre punch 6 - 3 pin punch 4, 5 and 6 - 1 workshop ruler of 20 cm - 1 carbide plotter

23 square pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar - 1 ratchet 1/2-1 joint -2 extension bars 125 and 250-1 adapter



38 pieces 1/4 : 9 hex wrenches -1 ratchet -10 sockets 5.5 to 14 mm-1 universal joint -2 extension bars 50mm and 125 mm-1 sliding handle - 1 handle with sliding drive-13 screwdriver bits + socket handle

Sawing, measuring : Cutter 18 mm-10 blades of 18 mm- measurement de 3 m - 1 metalcut hacksaw-5 HSS000 saw blades

CLASSIC

57 TOOLS



TOOL TROLLEY 6 DRAWERS WITH THERMOFORMED UNITS

6 DRAWERS

4 drawers H 60 mm-1 drawer H 140 mm-1 drawer H 215 mm



12 combination wrenches : 8-9-10-11-12-13-14-16-17-18-19-22 mm

Pliers and wrench : Adjustable wrench 200 mm + water pump pliers 240mm

4 bimaterial pliers : Universal 180 mm + diagonal cutting 180 mm - Flat jaws 170 mm - Half-round jaws 170 mm



7 screwdrivers (slotted + PZ) : 3.5x100-4x100-5.5x125-6.5x150-8x150 with screw PZ1-PZ2

Striking tools : 1 engineer's hammer 32 1 plastic-tipped mallet 32 1 chisel of 200- 1 centre punch 6 - 3 pin punch 4, 5 and 6 - 1 workshop ruler of 20 cm - 1 carbide plotter

23 square pieces 1/2 : 17 sockets: 10 to 22-24-27-30-32 mm-1 sliding bar - 1 ratchet 1/2-1 joint -2 extension bars 125 and 250 -1 adapter

9523057601


MOBEST

HEAVY-DUTY WORKBENCH



WOODEN TRAY

40 mm multi-ply wood
 Static load: 1000 kg
 Possibility of attaching a vice
 L 200 X W 60 X H 94 mm
 Optional stainless steel plate 60 x 60
 Storage metal crossbar.



WITHOUT PLATE STAINLESS STEEL

9611009901

WITH PLATE STAINLESS STEEL

9611059901



WORKBENCH 6 DRAWERS

- 1 WOODEN TRAY
- + 1 BLOC OF DRAWERS
- + 1 STAND
- + 1 CROSSPIECE SHELF

WITHOUT PLATE STAINLESS STEEL

9611000601

WITH PLATE STAINLESS STEEL

9611050601



WORKBENCH 12 DRAWERS

- 1 WOODEN TRAY
- + 2 BLOCS OF DRAWERS
- + 2 STANDS

WITHOUT PLATE STAINLESS STEEL

9611001201

WITH PLATE STAINLESS STEEL

9611051201



INNOVATION

B'UP

HIGH-VOLUME SOLUTION



Flash this code to see the bag in action!



STANDING WORK

Allows you to work standing up on site, thanks to 2 textile and 1 removal zone.

Main tools are on top, within easy reach.

The removal zone lets you place screws and parts, in complete autonomy.

XXL VOLUME

The large-volume solution not only transports tools, but also saves space in the cargo hold. space in the hold. Ideal for touring.

QUALITY

Textile 1680 denier.

1 DEPOSIT

Stand-up zone

2 ESSENTIAL

- 31 inside pockets for wrenches, screwdrivers, pliers etc...
- 4 outside pockets.
- Carrying handle and shoulder strap.

3 B'UP TROLLEY

- XXL 50L volume.
- Reinforced pocket for 16" PC or tablet.
- Pockets for saw and hammer.
- Separate reinforced compartment for socket box.
- Map holder.
- Integrated deposit.

TROLLEY SET, ESSENTIAL AND DEPOSIT

- 39 interior pockets including hammer and special PC pocket (up to 16").
- 9 outside pockets including saw.
- The Deposit can be placed on the trolley for stand-up work.

Supplied without tools

9599000001



Sample presentation
Supplied without tools



EVERY TOOL HAS ITS PLACE



SOCKET SET :
reinforced, self-contained case
for sockets. Double zip.



PC OR TABLET:
Protects and separates PC (16")
or tablet from the rest of the luggage compartment.



HAMMER :
slanted inner pocket for easy
hammer from a standing position.



SAW :
External saw pocket.
Designed to be grasped standing up.



DEPOSIT

Stand-up zone

9596000001



ESSENTIAL

- 31 inside pockets for wrenches, screwdrivers, pliers etc...
- 4 outside pockets.
- Carrying handle and shoulder strap.


9598000001



B'UP TROLLEY

- XXL 50L volume.
- Reinforced pocket for 16" PC or tablet.
- Pockets for saw and hammer.
- Separate reinforced compartment for socket box.
- Map holder.
- Integrated deposit.

9597000001





HIGH-VOLUME MAINTENANCE SOLUTION



88 TOOLS STANDARD SET

(not sold alone)

-  x12 Combination wrenches : 8-9-10-11-12-13-14-16-17-19-22-24 mm
-  x1 Adjustable wrench 200 mm
-  Bimaterial screwdrivers :
-  x7 - 4 slotted : 3,5x75-4x100-5,5x100-6,5x150 mm
-  - 2 Phillips : PH1 - PH2 /1 PZ2 VDE
-  x3 Micro screwdrivers slotted : 2-2,5-3 mm
-  X1 Micro screwdriver PH0
-  x1 Bit holder
-  x32 30 screwdriver bits + Magnetic bit holder
-  + 1/4" socket holder
-  x1 Cutting pliers 160 mm
-  x1 Universal pliers 180 mm
-  x1 Half-round jaws pliers 170 mm
-  x9 9 hex wrenches : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x2 Pin punches : 4-5 mm
-  x1 Nail - punch 4 mm
-  x1 Half-round file 200 mm
-  x1 DUO hammer 35 mm Carbon handle
-  x1 Universal shears
-  x1 Locking pliers 250 mm
-  x1 Cutter 18 mm
-  x1 Light with 14 leds
-  x1 Centre punch 6 mm
-  x1 Water pump pliers 240 mm
-  x1 Set of saw+ 5 carbon blades
-  x1 Measurement 3 m
-  x1 Rectangular level of 30 cm


116 TOOLS SET OPTION

88 TOOLS STANDARD SET

(See details opposite)



Additional socket set 28 pieces 1/2 in



Fast

9599116001

121 TOOLS SET OPTION

88 TOOLS STANDARD SET

(See details opposite)



Additional socket set 33 pieces 1/4 & 1/2 in



9599121001

HIGH-VOLUME ELECTRICIAN SOLUTION



116 TOOLS STANDARD SET

-  x9 Combination wrenches : 8-9-10-11-12-13-14-17-19 mm
-  x1 Adjustable wrench 150 mm
-  Insulated and bimaterial screwdrivers :
- 3,5x75-4x100-5,5x125-6,5x150
-  x7 - 2 phillips : PH1-PH2
- 1 Pozidriv PZ1
-  x5 Micro screwdrivers : 4 slotted 1,5-2-2,5-3 mm + 1 phillips : PH0
-  x1 Voltage tester
-  x1 Bit holder
-  x32 30 screwdriver bits +Magnetic bit holder + 1/4" socket holder
-  x1 Insulated cutting pliers 160 mm
-  x1 Insulated universal pliers 180 mm
-  x1 Insulated half-round jaws pliers 200 mm
-  x1 160 mm VDE stripping pliers
-  x1 Water pump pliers 240 mm
-  x1 Crimping pliers
-  x1 Box of 32 connectors
-  x1 Electrician's knife
-  x1 Electrician's scissors
-  x1 Universal shears
-  x9 Hex keys 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Electrician's hammer 18 mm wooden handle
-  x1 Cutter 18 mm
-  x1 Light with 14 leds
-  x1 Measurement 2 m
-  x1 Workshop ruler 15 cm
-  x1 Rectangular level 30 cm
-  x2 Pin punches : 4-5 mm
-  x1 Center punch 6 mm
-  x1 Adjustable mirror 30 mm
-  x1 Pin punch : 4 mm

9599116101

144 TOOLS SET OPTION

116 TOOLS STANDARD SET

(See details opposite)



Additional socket set 28 pieces 1/2 in



Fast

9599144101

149 TOOLS SET OPTION

116 TOOLS STANDARD SET

(See details opposite)



Additional socket set 33 pieces 1/4 & 1/2 in



9599149101



NEWS

BACKPACK

BWP



9593000001



MULTIFUNCTIONAL BACKPACK WITH 26 INSIDE POCKETS TO STORE EFFICIENTLY YOUR TOOLS



RESISTANT : Thanks to its 1680 denier fabric and waterproof bottom, this bag is designed to last and protect your tools in all conditions.



ACCESSIBILITY : The removable center panel keeps your most-used tools close at hand for maximum efficiency.



PRATICAL : Opening on both sides allows quick and easy access to all your tools, without having to rummage.



COMFORTABLE : Reinforced back and shoulder straps ensure extreme comfort all day long.



ERGONOMIC : Handle makes it easy to move around.



SAFETY: Reflective strips increase your visibility.



PROTECTED: Thanks to its protective sock, you'll be safe from dirt and grime when you're with the bag on your back.

EVERY TOOL HAS ITS PLACE



PC OU TABLET : Reinforced pocket for a laptop or digital tablet or digital tablet.



PRATICAL : Slot for business card and various small accessories.



BACKPACK TRIPTYCH

Capacity
15 kg
Volume: 21 L
Size.nsiions :
L 350 x W 200 x H 450 mm



NUMEROUS STORAGE SPACE:

- 2 front pockets, one with space for business cards, pens, documents and integrated key ring, and 1 zippered back pocket
- 1 removable tool panel, 3 gussets with 8 pockets and 10 elastic bands
- Protective skids
- Smartphone cover
- Wear- and tear-resistant canvas

9575000001

+
TOOL-HOLDER
TRIPTYCH
ON DETACHABLE
FRONT





MEDIUM EASY BAG MODEL

Load capacity 15 kg
28L CAPACITY
L 510 x W 260 x H 385 mm
Waterproof bottom over 5 cm
400 mm hacksaw and handsaw pocket



SUSTAINABILITY

Wear and tear resistant 600 denier fabric
Waterproof coated inside

EASY TRANSPORT

Comfortable foam-molded metal handle or adjustable shoulder strap with non-slip sleeve

STORAGE

Multiple inside and side pockets for easy storage

EXTERNAL SAW POCKET



9772000001

SMALL EASY BAG MODEL

MODEL S
Load capacity 11 kg
12 L CAPACITY
L 420 X W 190 X H 240 mm
Cargo with removable bins



CARGO HOLD WITH REMOVABLE BOXES



9570000001

WATERPROOF BAG

19kg and 12L load/volume capacity - L 540 x W 170 x H 225 mm



PRATICAL

The size of the bag allows you to store long or bulky tools such as a saw, a stillson wrench, a level... (max. length 50 cm).

RESISTANT

Textile toolbox in PVC material, making it more resistant in damp or splashy areas, and easier to wash in dusty or dirty areas.

ORGANIZED

4 inside pockets for small tools: pliers, wrenches, screwdrivers etc.-1 zipped pocket in lid for documents, pens, telephone and 1 measuring loop -Close with 2 adjustable plastic clips.

EASY TO TRANSPORT

Adjustable shoulder strap for carrying.



slim**bag**



9592000001

DUOBAG

19kg and 12L load/volume capacity -W 450 x W 200 x H 365 mm
 Easy access and easy storage
 Multiple storage compartments : 1 zipped pocket on front, 13 pockets, 12 elastic straps
 as well as 2 open side pockets
 Adjustable shoulder strap with non-slip sleeve
 1200-denier fabric even more resistant to wear and tear
 Waterproof bottom

DUOBAG

MOBEST



Flash this to see the video !



9591000001

2 STORAGE AREAS :

1 side for tools and 1 side "empty pocket" for drill + charger or laptop or documents.

TEXTILE BAG WITH DOUBLE COMPARTMENT



With tools



With laptop



With hand-held power tools



Waterproof bottom

TROLLEY BAG

EASY HANDLING


- Trolley system, height 1010 mm.
- Sturdy, extra-large wheels Ø 40 mm = Improved stability.
- Relay handle.

PRATICAL

- 100% gusseted opening.
- Multiple storage pockets : 15 inside pockets and 10 outside pockets.
- 2 tapeholders (metal loop for measuring).
- Protective zipper.

RESISTANT

- Hard synthetic base + 4 elastomer glides.
- 1680 denier fabric wear and tear resistant.
- High load capacity: 68 kg
- Volume: 44 L
- Interior sizeensions: L45 x W25 x H39 cm.



9574000001



WORKSHOP EQUIPMENT AND STORAGE

FURNISHED TROLLEY BAG / 67 TOOLS















9574067001

-  x10 Set of combination wrenches : 8-10-11-12-13-14-16-17-18-19 mm
-  x8 Bimaterial screwdrivers :
- 3,5x75-5,5x125-6,5x150-8x150
- PZ1-PZ2-PH1-PH2
-  x3 Insulated screwdrivers : 4x100-PH1-PH2
-  x1 Voltage tester
-  x1 Plotter
-  x9 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Diagonal cutting pliers 160 mm
-  x1 Universal pliers 180 mm
-  x2 Circlip pliers 19-60 mm
-  x1 Water pump pliers
-  x1 Universal shears
-  x1 Half-round jaws pliers 200 mm
-  x1 Workshop ruler 20 cm
-  x1 Flat hand file 200 mm
-  x1 Half-round file 200 mm
-  x1 Measurement 3 m
-  x1 Level 40 cm
-  x1 Burin 200 mm
-  x1 Cutter 18 mm
-  x4 Pin punches : 2-3-4-5
-  x1 Brosse métallique
-  x1 Saw+ 10 blades
-  x1 Electrician's knife
-  x1 DUO hammer 35 mm Carbon handle

MAINTENANCE DUOBAG / 80 TOOLS

DUOBAG



-  x6 Screwdrivers : 3.5x75-4x100-5.5x100-6.5x150-PH1-PH2
-  x1 Bit holder
-  x31 30 screwdriver bits + Magnetic bit holder
-  x1 Adjustable wrench 250 mm
-  x1 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Water pump pliers
-  x1 Cutting pliers 160 mm
-  x10 Set of 10 combination wrenches : 8-10-11-12-13-14-16-17-18-19 mm
-  x1 Saw + 10 blades
-  x1 DUO hammer 35 mm Carbon handle
-  x1 Cutter + 10 blades
-  x1 Measurement 3 m

9591080001

BASIC PLASTIC TOOLBOX



Metal latches Removable tray
Padlockable (supplied without padlock) 2 removable compartments
+ 1 fixed bit compartment

Size. mm	Max. load	Ref.
410x210x185	12 kg	9506000201
470x240x220	15 kg	9506000301













METAL TOOL BOX 5 COMPARTMENTS

MOBEST



Comfortable tubular handles
Sheet thickness: 0.8 mm Reinforced rivets
Impact-resistant epoxy paint
Mats in each compartment
Stable
100% accessibility

Size. mm	Weight	Ref.
450x200x200	4 kg	9501000001
530x200x200	5,6 kg	9501000101

-  x9 Hex keys : 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Adjustable wrenches 250 mm
-  x10 Set of combination wrenches :
8-10-11-12-13-14-16-17-18-19 mm
-  x8 Screwdrivers : 4 slotted :
- 4x100-5,5x100-6,5x150-8x150 mm
- 2 Phillips : PH1 - PH2 - 2 Pozidriv : PZ1 - PZ2
-  x1 Water pump pliers 240 mm
-  x1 DUO hammer 35 mm Carbon handle
-  x1 Universal pliers 180 mm
-  x1 Half-round jaws pliers 200 mm
-  x1 Cutting pliers 160 mm
-  x1 Saw+ 10 carbon blades
-  x3 Pin punches : 3-4-5
-  x1 Center punch 6 mm
-  x1 Half-round file 200 mm
-  x1 Measurement 3 m
-  x1 Level 40 cm

FURNISHED TOOL BOX 50 TOOLS



9501050101

-  x3 Insulated screwdrivers :
4x100-PH1-PH2
-  x6 Bimaterial screwdrivers
: 3,5x75-5,5x120-6,5x150
8x150-PZ1-PZ2
-  x1 Voltage testor
-  x9 Hex keys : 1,5-2-2,5
3-4-5-6-8-10 mm
-  x10 Set of combination
wrenches : 8-10-11-12-13-14
16-17-18-19 mm
-  x1 Water pump pliers
-  x1 Half-round jaws pliers
200 mm
-  x1 Diagonal cutting pliers
160 mm
-  x1 Half-round file
200 mm
-  x1 DUO hammer 35 mm
Carbon handle
-  x4 Pin punches: 2-3-4-5
-  x1 Center punch 6 mm
-  x1 Workshop ruler 20 cm
-  x1 Measurement 3 m
-  x1 Electrician's knife
-  x1 Engineer's cold chisel 200 mm
-  x1 Pincers 220 mm
-  x1 Wire stripping pliers 160 mm
-  x1 All-purpose shears
-  x1 Cutter 18 mm
-  x1 Ratchet
-  x1 Socket adaptor
-  x14 Sockets : 8 à 24 mm
-  x1 Sliding handle
-  x2 Spark plug sockets 16
and 21 mm
-  x1 Joint
-  x2 Extension bars : 125-250 mm

FURNISHED TOOLBOX 70 TOOLS WITH SOCKET MODULES



9501070101



MOBEST

TROLLEY TOOL CASE/128 TOOLS



Composition :

11 combination wrenches : 8-9-10-11-12-13-14-16-17-19-22 mm

1 adjustable wrench 200 mm

1 half-round file 200 mm

6 bimaterial screwdrivers :

3,5x75-4x100-5,5x100-6,5x150-PH1-PH2

5 micro screwdrivers : 2-2,5-3 mm + PH00-PH0

1 voltage testor

1 water pump pliers

1 universal pliers 180 mm

1 cutting pliers 160 mm

1 half-round jaws pliers 170 mm

1 wire stripping pliers 160 mm

1 pincers 200 mm

1 universal shears

1 crimping pliers

1 cutter

1 box of 32 connectors

9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10

1 measurement 3 m

1 workshop ruler 15 cm

1 centre punch 4

2 pin punches 4-5

1 rectangular level 30 cm

1 leds light

1/4" square : 1 ratchet

13 sockets : 3,2 to 14 mm

1 sliding handle

2 extension bars of 50 and 125 mm

1 universal joint

1 bit holder socket

1 bit holder

30 screwdriver bits

1/2" square : 1 ratchet

17 sockets : 10 à 32 mm

2 extension bars of 125 and 250 mm

1 universal joint

1 sliding handle

1 adaptor

1 engineer's hammer 30 mm

Size. 465x420x230 mm



ABS volume: lightweight, ultra-impact-resistant plastic

EASY TRANSPORT :

Integrated trolley system, no protrusion, slips in anywhere without snagging (aircraft hold, between 2 seats...) and remains shockproof.

2 fixed, pre-fitted tool panels

Key lock



9538128001



ALUMINIUM TOOL CASE/51 TOOLS

MOBEST

Composition :

10 combination wrenches : 8-9-10-11-12-13-14-15-17-19 mm
 7 bimaterial screwdrivers : 5,5x38 short-4x100-5,5x125-6,5x150-PH1-PH2-PH2 short
 1 water pump pliers
 1 universal pliers 180 mm
 7 hex wrenches 2-2,5-3-4-5-6-8 mm
 1 DUO hammer 35 mm Carbon handle

1/2" square :

1 ratchet
 12 sockets : 8-9-10-11-12-13-14 -15-17-19-22-24 mm
 2 extension bars of 125 and 250 mm
 1 universal joint
 2 spark plug sockets 16 and 21 mm
 1 handle
 4 screwdriver bits: T10-T15-T20-T25

9530051001

Size. 450x320x80 mm

EVERYTHING AT YOUR FINGERTIPS SAFETY

Code lock





ALUMINIUM TROLLEY TOOL CASE / 128 TOOLS

MOBEST



Size. 490x400x155 mm

Composition :

11 combination wrenches : 6-8-9-10-11-12-13-14-17-19-22 mm
1 adjustable wrench 200 mm

7 bimaterial screwdrivers : 5 slotted : 3,5x75-4x100-5,5x100

6,5x150-8x150 mm / 2 Phillips : PH1-PH2

4 micro screwdrivers : 2 slotted : 2-3 mm / 2 Phillips : PH00-PH0

1 voltage tester

1 set of 9 hex wrenches : 1,5-2-2,5-3-4-5-6-8-10 mm

1 water pump pliers 240 mm

1 straight all-purpose shears 190 mm

1 universal pliers 180 mm

1 cutter 18 mm

1 half-round file

1 mini-saw

5 saw blades HSS 000

1 measurement 3 m

1 workshop ruler 150 mm

1 plotter

1 rectangular level 30 cm

1 trimaterial engineer's hammer 30 mm

1 center punch 6 mm

2 pin punches 4-5 mm

1 nail punch 4 mm

1/4" square : 1 ratchet 72 teeth

13 6-point sockets : 3,2-4-5-5,5-6-7-8

9-10-11-12-13-14 mm

1 universal joint

1 sliding handle 115 mm

2 extension bars : 50-125 mm

1 screwdriver bit holder

1 6-point bit holder socket 6 points

1 bit holder socket

1 box of 32 bits + bit holder

1/2" square : 1 ratchet 72 teeth

17 12-point sockets : 10-11-12-13-14-15-16-17

18-19-20-21-22-24-27-30-32 mm

1 universal joint

1 sliding handle 255 mm

2 extension bars : 125-250 mm

1 adaptor 1/2=>3/8.

9535128001



CONFORT

Reinforced, rounded corners
Metal hinges
Support feet for flat or upright packing
Open suitcase lock

PRATICAL

Removable telescopic handle
2 pre-fitted panels, double-sided
Foam at the bottom of the tool case
Key lock



ALUMINUM TOOL CASE / 125 TOOLS

MOBEST



Size. 490x400x155 mm

Composition :

- 11 combination wrenches : 6-8-9-10-11-12-13-14-17-19-22 mm
- 1 adjustable wrench 200 mm
- 7 bimaterial screwdrivers : 3,5x75-4x100-5,5x100-6,5x150-8x150-PH1-PH2
- 4 micro screwdrivers : 2-3 mm-PH00-PH0
- 1 water pump pliers
- 1 universal pliers 180 mm
- 1 universal shears
- 9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 engineer's hammer 30 mm trimaterial handle
- 1 measurement 2 m
- 1 workshop ruler 15 cm
- 1 centre punch 4 mm
- 3 pin punches 4-5-6 mm
- 1 mini-saw
- 5 saw blades
- 1 cutter
- 1 rectanukar level 30 cm
- 1/4" square:** 1 FAST ratchet
- 13 6-point sockets : 3,2 à 14 mm
- 1 sliding handle
- 2 extension bars 50 and 125 mm
- 1 universal joint
- 1 adaptor
- 1 bit holder socket
- 1 bit holder
- 30 screwdrivers bits

- 1/2" square :** 1 FAST ratchet
- 17 12-point sockets : 10 to 32 mm
- 2 extension bars : 125 and 250 mm
- 1 universal joint
- 1 sliding handle
- 1 adaptor

9534125001



CONFORT

- Reinforced, rounded corners
- Metal hinges
- Open case lock
- Bi-material handle

PRATICAL

- 2 pre-fitted panels, double-sided
- Foam at the bottom of the tool case
- Key lock





INNOVATION

FAST

FAST-TRACK APPROACH

Flash this to see the video!



+ 5 mm



INTEGRATED KNOB

Saves time at the start of screwing

INNOVATION

One-piece, machined knurl, one-piece with square Adds just 5 mm to the height height



PERFORMANCE

Mechanism life : 25,000 cycles
Teeth x1.6 above DIN standards

Customer feedback :

"Ideal at the start of screwing before being able to use the ratchet".
"I control the approach manually, and I have more strength."

FAST RATCHET 1/2"



9202721301



Premium ratchet 72 teeth
Quick direction change
Socket ejection button
Round Chrome Molybdenum head



FAST RATCHET 1/4"



9200721301

BOX SET / 28 PIECES



With **FAST RATCHET**



With extension lead
CLICK'N HOLD



1/2"-6 POINT-FAST

8 mm 32

HDPE box size 405x225x60 mm-Bicolour foam insert

21 hexagon sockets: 8-9-10-11-12-13-14-15-16-17 -18-19-20 -21-22-23-24-27-28-30-32 mm

1 Premium Fast 72-tooth round ratchet with integrated wheel

1 joint 1 sliding handle 1 extension bar 125 mm

1 280 mm click'n hold extension 2 spark plug sockets: 16-21 mm

Repair



9436028101




EXTENDABLE RATCHET 1/2"

NEWS



9202721401



Adjustable ratchet by detent in 9 positions



Satin chrome finish

SAFETY

Square drive 1/2" compliant NF ISO 1174 and NF ISO 3315. Push button: secure socket holding and quick sleeve ejection.

ACCESSIBILITY

72-tooth mechanism - 5° return angle
Slim head for a reduced footprint.

ERGONOMY

Bi-material handle for a comfortable grip. Resistant to common hydrocarbons.

POWER

More tightening torque thanks to extendable system.



Open ratchet length maximum: 41 cm
Ratchet length closed: 25.5 cm



BOX SET / 28 PIECES

MOBEST



With extension lead
CLICK'N HOLD



1/2"-6 POINT 8 mm 32

HDPE box size 405x225x60 mm-Bicolour foam insert
21 hexagon sockets: 8-9-10-11-12-13-14-15-16-17 -18-19-20 -21-22-23-24-27-28-30-32 mm
1 Premium round ratchet 72 teeth
1 joint 1 sliding handle 1 extension 125 mm
1 280 mm click'n hold extension 2 spark plug sockets: 16-21 mm

9436028001



RATCHETS AND SOCKETS

MIXED BOX SET / 33 PIECES

LARGE 1/4" AND 1/2" COMPOSITION

in a compact box



TORX BOX SET / 28 PIECES

SPECIAL TORX BOX



1/4" + 1/2"-6 POINT



Repair

HDPE-size box 405 x 225 x 60 mm -Foam insert

1/4" 10 6-point sockets: 4-5-6-7-8-9-10-11-12-13 mm

1 repairable Premium round ratchet 1 joint 1 extension bar 50 mm

1 extension 140 mm cli'k'n hold

1/2" 15 6-point sockets: 10-11-12-13-14-16-17-18-19-21-22-24-27-30-32 mm

1 repairable Premium round ratchet

1 joint 1 extension 125 mm 1 extension 280 mm cli'k'n hold

9436033001

1/4" + 1/2"

HDPE box-size 270 x 215 x 60 mm-Foam insert

Female Torx sockets :

1/4": E4-E5-E6-E7-E8-E10-E11

1/2": E11-E12-E14-E16-E18-E20-E24

Screwdriver sockets Tamper Torx :

1/4" : TT8-TT9-TT10-TT15-TT20-TT25-TT27

1/2" : TT30-TT40-TT45-TT50-TT55-TT60-TT70

9028000000

METAL BOXES

MOBEST

BOX SET 1/4" / 29 PIECES



Repair

BOX SET 1/2" / 25 PIECES



1/4"-6 POINT



Size. 245x120x38.5 mm

11 sockets: 4-4.5-5-5.5-6-7-8-9-10-11-13 mm

1 repairable Premium round ratchet 1 joint

1 extension bar : 75 mm 1 sliding handle 1 screwdrivers handle

1 bit-holder socket 12 screwdriver bits :

2 Slotted: 4/5.5 mm-2 Phillips: PH1/PH2-2 Pozidriv: PZ1/PZ2

4 Hexagonal: H3/H4/H5/H6-2 Torx T30/T40

0000983401

1/2"-6 POINT



Size. 245x120x38.5 mm

20 6-point sockets: 8-9-10-11-12-13-14-15-16-17-18-19-20

21-22-23-24-27-30-32 mm

1 repairable Premium round ratchet

1 joint

2 extension bars : 125-250 mm

1 sliding handle

0000998001

THROUGH-GOING RATCHETS AND SOCKETS

MOBEST

+ ACCESSIBILITY


Threaded rods pass through ratchets and sockets without interfering with clamping.

2 IN 1

2 ratchets in 1: adapters allow ratchet to fit traditional sockets.

PERFORMANCE

Reversible for quick change of direction. 5° return angle.



MEDIUM BOX / 14 PIECES

MIXED SMALL AND MEDIUM BOX / 59 PIECES



HDPE box-size 270 x 215 x 60 mm-Thermoformed

MEDIUM :10 through sockets: 10-11-12-13-14-15-16-17-18-19 mm

1 through ratchet

1 through-hole extension 75 mm

2 1/4" et 3/8" adaptors

10 mm 19

9400010001

HDPE-size box 405 x 225 x 60 mm-Foam insert

SMALL :13 through sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm

1 through ratchet 1 through extension 75 mm

1 ratchet bit holder 1 screwdrivers handle 1 bit holder

24 screwdriver bits (6 slotted + 3 Phillips + 3 Pozidriv + 6 hexagonal + 6 Torx)

MEDIUM : 13 through sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22 mm

1 through ratchet 1 through extension 75 mm

2 1/4" and 3/8" adaptors

4 mm 14

9470059001

+ QUALITY

Designed to withstand the stresses of power tools : impact wrenches, screwdrivers...

High-quality steel and heat treatment for maximum resistance and long service life.

DEEP IMPACT SOCKETS **10 PIECES**

SHORT IMPACT SOCKETS **10 PIECES**



1/2"-6 POINT

Metal case

Size. 325 x 160 x 50 mm

10-11-13-14-16-17-19-21-22-24 mm

Pins and locking supplied in the box
DIN899, DIN3121 and DIN3129 compliant

9222010501

10 mm 24

1/2"-6 POINT

Metal case - Size.305 x 42 x 45 mm

10-11-12 -13-14-17-19-21-22-24 mm

Pins and locking rings supplied in the box
DIN899, DIN3121 and DIN3129 compliant

9212010501

10 mm 24

SECURITY **PINS AND LOCKING RINGS**

For your safety, remember to lock sockets with pin and locking rings

Dim	Réf
Carré 1/2" : 8-14 mm	9299140501
Carré 1/2" : 15-32 mm	9299990501
Carré 3/4" : 19-46 mm	9299460501



RATCHETS AND SOCKETS-DYNAMOMETRY

BOX SET 3/4"




RESISTANCE

100% forged turned sockets.
2 layers of nickel and 1 layer of chromium
to absorb shocks
Torque 150% above standards
DIN3120 and ISO 1174-1

HEAVY-DUTY METAL BOX
with safety lock

40 dents / 9°



16 PIECES 3/4"-6 POINT

Metal case-Size.530 x 175 x 80 mm-14 kg
10 6-point sockets: 22-24-27-30-32-36-38-41-46-50 mm
1 ratchet 40 teeth 2 extensions: 200-400 mm
1 gimbal 1 sliding handle 450 mm
1 adapter 3/4" --> 1/2"



9440020001



TORQUE WRENCHES



PRECISION +/- 4%

Release key
Locking button
Double scale + micrometer dial
Resistant bi-material handle
Identification number engraved on key
and specified on the Calibration Certificate

INITIAL

Square	N.m	Ref.
3/8"	5-50 N.m	9074053801
1/2"	10-100 N.m	9074101201
1/2"	20-200 N.m	9074201201
1/2"	60-300 N.m	9074341201



STANDARDS Our torque wrenches meet the requirements of national and international standards BS EN 26789 -ISO 6789-USA GGG-W-00686




RATCHET ROTATING HEAD



FREELY ROTATABLE HEAD : IDEAL FOR CONFINED SPACES

- Can be used as a conventional screwdriver in the 0° position, and as a ratchet in the 90°
- Other positions possible between 15° and 90
- 100-tooth fine ratchet teeth, 3.6° recovery angle
- Tightening direction reversed around the entire circumference of the head
- Socket ejection button
- Bimaterial handle



BOXES WITH ROTARY RATCHET



BOX 1/4"

46 PIECES

1/4"-6 POINT

- HDPE case-size. 135 x 215 x 60 mm-Foam insert
- 12 6-point sockets: 4-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 round ratchet 100 teeth
- 2 extensions: 50-125 mm
- 1 bit-holder socket
- 30 screwdriver bits:-4 Slots: 3-4-5-5,5-8
- 5 Phillips: PH1-PH2x2-PH3x2-5 Pozidriv: PZ1-PZ2x2-PZ3x2
- 10 Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 6 Hexagonal: H3-H4-H5-H6-H8-H10



9416046101

BOX 1/2"

22 PIECES

1/2"-6 POINT

- HDPE case-size. 405 x 225 x 60 mm-Foam insert
- 17 6-point sockets: 8-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 round ratchet, rotating head, 100 teeth
- 2 extensions: 125-250 mm
- 1 universal joint
- 1 sliding handle



9436022001

REPAIRABLE RATCHET

Don't throw away, fix it!

Repair

**EXTENDING USEFUL LIFE BY
REPAIRING
IS A GREAT WAY OF WORKING FOR
THE FUTURE.**



THE ADVANTAGE OF A RATCHET IS ITS SPEED. YOU MUST NOT FORCE ON THE MECHANISM OR IT WILL BREAK. IF IT HAPPENS, OUR FAST AND ROUND RATCHETS CAN BE REPAIRED DUE TO THEIR CONCEPTION.

GUARANTEE

A product under warranty can be repaired by us, or by yourself if you wish, thanks to our kits and tuto-video.
The lifetime warranty applies in the event of a defective product. However, there are a number of cases of excessive use that fall outside the scope of this warranty, such as a ratchet that has been forced or knocked. In such cases, repairs or kits are at your expense.
Repair kits are themselves covered by the warranty, with no time limit. So, even if you use the kit to do the repair yourself, the warranty continues to apply.

Flash this to see the video





FIXED AND VARIABLE OPENING WRENCHES

COMBINATION WRENCH WITH RATCHET



PRATICAL

New reversing lever, easy to use
Integrated ratchet.
Prevents accidental reversal.
Unique design with possibility to repair the mechanism.

EFFICIENT

5° return angle
Reversible for quick change of direction
Hardened Chrome Vanadium steel 48 HRC +/- 2
Space-saving: head inclined at 15°.

MOBEST

WELL-ORDERED WRENCHES



Set of combination wrenches

Size. : 8-10-11-13-14-17-19 mm **x7**

9002M07001

Set of combination wrenches


Size. : 8-10-11-12-13-14-16-17-18-19 mm **x10**

9002M10001

Set of combination wrenches

Size. : 8-9-10-11-12-13-14-15-16-17-18-19 mm **x12**

9002M12001



Cardboard box **x6**

Size. : 8-10-12-13 17-19 mm

900200030



Cardboard box **x10**

Size. : 8-10-11-12-13
15-16-17-18-19 mm

9002000401


BOX / X7

HDPE box
size. 270 x 215 x 60 mm
THERMO
7 combination wrenches with
ratchet:
8-10-12-13-14-17-19 mm

9002000101




COMBINATION WRENCH




STRENGTH AND DURABILITY

Guaranteed dimensional accuracy.
Very low backlash shows high quality standard.
15° inclination for use in tight spaces.
30° recovery angle



Far superior resistance to standard wrenches.



Profile of the eye protecting nuts



Set of combination wrenches **x7**

Size : 8-10-11-13-14-17-19 mm

9000M07001



Set of combination wrenches **x12**

Size : 7-8-10-11-12-13-14-16-17-19-22-24 mm

9000M12001



Support compact

Set of combination wrenches **x10**

Size : 8-10-11-12-13-14-16-17-18-19 mm

9000M10001

WRENCHES MANUFACTURED IN OUR FACTORIES



Dimensional accuracy thanks to key broaching



Keys after tribofinishing



Quality testing of production

LIFESPAN

Durability is achieved by using forged alloy steel. Our controlled heat treatment process guarantees enough hardness to withstand high pressure.

DIMENSIONAL ACCURACY

The keys are opened by broaching, a technology that enables us to obtain very precise dimensions with a high quality surface finish, thus avoiding damage to the wrench or nut.

PROTECTED PROFILE

The profile of the polygonal heads has been specially designed to avoid damaging the nut corners. When force is applied, the pressure is not exerted on the corners but on the sides of the nut.



Cardboard box **x8**

Size : 8-10-11-13-17-19-22-24 mm

9000000101



FIXED AND VARIABLE OPENING WRENCHES

MOBEST

WRENCH WITH RATCHET 4X4

1 WRENCH = 4 SIZES



On card x1
Size : 10-13-17-19 mm

9003101001



4 SIZES PER WRENCH

Extremely compact
Ideal for roaming or key duplication

PERFORMANCE

5° recovery angle: high-performance in tight spaces
Reversibility for quick change of direction: optimized productivity.

SAFETY

2 integrated reversers included: no risk of accidental reversal

FINISH

Satin-polished chrome to prevent glare



On card x2
Size : 8-10-12-13
et 16-17-18-19 mm

9003001001

ARTICULATED RATCHET WRENCHES



In cardboard box x5
Size : 8-10-13-17-19 mm

9008005001

ARTICULATED WRENCH

Suitable for hard-to-reach areas
Clears and secures the hand against injury.

QUALITY

Hardened Chrome Vanadium steel 48 HRC +/- 2

180° ARTICULATION

Easy to handle



TRANSFORM YOUR COMBINATION RATCHET WRENCHES INTO REAL RATCHETS THANKS TO 3 ADAPTERS.

ADAPT BOX / 44 PIECES



- HDPE box - size. 405 x 225 x 60 mm-Foam insert
- 8 combination wrenches with ratchet: 8-10-11-12-13-15-17-19 mm
- 12 square 1/4" sockets: 4-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 7 1/2" square sockets: 10-13-14-16-17-18-19 mm
- 3 adapters: 1/4-1/2 bits
- 14 screwdriver bits :
 - 2 slots: 4-5,5
 - 2 phillips: PH1-PH2
 - 4 Hexagonal: H3-H4-H5-H6
 - 6 Torx: T10/T15/T20/T25/T30/T45



LARGE CAPACITY MULTIFUNCTION BOX



9436044001



SET OF SOCKET PIPE WRENCHES

- . Complies with NF ISO 2236 standard.
- . Chamfer designed to facilitate key engagement.
- . Forged wrenches in alloy steel with high-performance heat treatment.
- . Satin chrome finish.
- . 95° wrench angle.
- . Large clearance depth

NEWS



LOCATIONS NUMBERED ON THE FRAME

WRENCHES WITHIN EASY REACH

Set of socket pipe wrenches 6x6 x8
 Size. : 7-8-10-13-16-17-18-19 mm
9015M08001

QUALITY :
 High-quality, forged and hardened alloy steel.

ACCESSIBILITY :
 95° wrench angle to facilitate hand clearance from the clamping surface
 Large screw depth on the right-hand side
 Open-end wrench: threaded shank protrusion does not interfere with tightening

ENTRANCE CHAMFER:
 Fosters wrench commitment.

SOCKET PIPE WRENCHES 6X6

In a box x10
 Size. : 7-8-9-10-11-13-16-17-18-19 mm
9015000201

In a box x12
 Size. : 7-8-10-11-12-13-16-17-18-19-22-24 mm
9015000401






FIXED AND VARIABLE OPENING WRENCHES

MOBEST

ADJUSTABLE WRENCH



Double graduation in mm and inches



Knob protected by push-buttons
Exclusive and patented n° 02.03790

Minimum Space requirement

Opening max



ACCESSIBILITY :

Slim head and low-profile rack



STRENGTH AND DURABILITY:

The "torque" adjustable wrench surpasses the resistance tests ISO 6787 and NF E 74-324 standards.

The torque achieved is exceptional.
Very low backlash shows high quality standard

RELIABILITY:

Push button: no accidental disruption (registered design).

TORQUE ADJUSTABLE WRENCH

mm/inches	Capacity in mm	Ref.
200/8"	28,5	9045200001
250/10"	33	9045250001
300/12"	38,5	9045300001


MOBEST

4-IN-1 SCAFFOLDING WRENCH

REVERSIBLE RATCHET WRENCH
19 MM ON ONE SIDE
AND 22 MM ON THE OTHER


FOLDING NAIL PULLER

4 in 1




Key point
Hammer
Folding nail puller
Ø 5mm drill hole on handle.
A wrist strap is included, already mounted on the product.

9039191001



22 mm



19 mm



SCREWDRIVER BIT SET 113 PIECES

MOBEST

Box size. 208 x 170 x 45 mm-Plastic case



x2 Bit holders



25 mm



x8 Slotted : 3-4-4,5-5,5-6-6,5-7-8



x17 Philips : PH0-PH1x5-PH2x7-PH3x3-PH4



x19 Pozidriv : PZ0-PZ1x6-PZ2x8-PZ3x3-PZ4



x14 Hexagonal: H2-H2,5-H3-H4x3-H5x3-H6x3-H7-H8



x17 Torx : T8-T10x2-T15x2-T20x3-T25x3-T27-T30x3-T40x2



x7 Tampor torx : TT10-TT15-TT20-TT25-TT27-TT30-TT40



x4 Square : 0-1-2-3



x4 Spanner : 4-6-8-10



x4 Triwing : 2-3-4-5



x4 Torqset : 5-6-8-10



75 mm



x2 Philips : PH1-PH2



x2 Pozidriv : PZ1-PZ2



x4 Hexagonal : H3-H4-H5-H6



x5 Torx : T10-T15-T20-T25-T30



QUALITY

A range of 111 high-quality S2 tips, guaranteed to NF ISO 1173/DIN 3126.

BROAD COMPOSITION

111 bits, 10 different indentations including 4 special indentations, 2 bit holders

2 LENGTHS, 25 AND 75 MM EASY TO IDENTIFY

thanks to the coloured rings.



9460113001

32 BITS HOLDER



EASY TO IDENTIFY : thanks to the coloured rings

BITS HOLDERS : Autolock magnetic

100% OPENING : Easy access to bits

Clips to belt or fits in pocket



Plastic case size. 80 x 85 x 35 mm
32 color-coded screwdriver bits :



x1 Autolock magnetic bit holder 60 mm



25 mm



x5 Slotted: 4-4,5-5,5-6,5-8



x4 Phillips : PH0-PH1-PH2-PH3



x8 Pozidriv : PZ0-3 x PZ1-3 x PZ2-PZ3



x8 Hexagonal : H1,5-H2-H2,5-H3-H4-H5-H6-H8



x7 Torx : T10-T15-T20-T25-T27-T30-T40

9461000001





SCREWDRIVER BITS

MOBEST

2 IN 1 ADAPTOR BOX / 115 PIECES

SOCKETS AND BITS ADAPTER FOR SOCKETS AND SCREWDRIVER BITS. ADAPTER CAN BE CHANGED BY SIMPLY SLIDING ON.

2 in 1



x1 2 en 1 Adaptor



75 mm

- x2 Phillips : PH1-PH2
- x2 Pozidriv : PZ1-PZ2
- x4 Torx : T10-T15-T20-T25
- x2 Hexagonal : H4-H5



25 mm

- x8 Slotted : 3-4x2-4.5-5.5-6.5x2-8mm
- x18 Phillips : PH0x2-PH1x5-PH2x8-PH3x2-PH4
- x17 Pozidriv : PZ0x2-PZ1x5-PZ2x7-PZ3x2-PZ4
- x18 Torx : T8-T10x3-T15x3-T20x3-T25x3-T27-T30x3-T40
- x7 Tamper Torx : TT10-TT15-TT20-TT25-TT27-TT30-TT40
- x15 Hexagonal : H2-H2.5-H3-H4x3-H5x3-H6x3-H7-H8-H10
- x4 Square : 0-1-2-3
- x4 Spanner : 4-6-8-10
- x4 Triwing : 2-3-4-5
- x4 Torqset : 5-6-8-10
- x5 Squared sockets 1/4" : 7-8-10-12-13 mm




Flash this to see the video !



QUALITY

Chrome-vanadium-manganese alloy steel
Bit holder: 6.35 mm snap ring, DIN 3126, length 80 mm
Socket holder : square 1/4", DIN 3120, length 70mm, plunger lock.



9416115001

XS BOX / 39 PIECES

1/4"

- Sockets and bits-HDPE case 175 x 110 x 40 mm
- 7 1/4" sockets: 4-7-8-10-12-13-14 mm
- 1 2-in-1 wrench
- 1 extension 125 mm
- 30 screwdriver bits :
- 5 Slotted : 4-4.5-5.5-6.5-8
- 6 Pozidriv: PZ0-PZ1x2-PZ2x2-PZ3
- 4 Phillips: PH0-PH1-PH2-PH3
- 7 Torx: T10-T15-T20-T25-T27-T30-T40
- 8 Hexagonal: H1.5-H2-H2.5-H3-H4-H5-H6-H8



9410390001



PRACTICAL

Resistant to solvents and hydrocarbons
Printed foam padding for easy location
Lateral swivel clasp : will not open if dropped

1 side 1/4" ratchet "

1 bit holder side



EXTRA LONG BIT HOLDER 350 MM



SMALL SPACE REQUIREMENT

Only Ø 10 mm



SET XL3 13 PIECES

- x1 2 in 1 handle
- x3 Magnetic biholder



- x1 Slotted : 6,5 mm
- x3 Phillips : PH1-PH2-PH3
- x2 Pozidriv : PZ1-PZ2
- x3 Torx : T15-T20-T25

2 POSITION HANDLE



Right: for more length



T-shaped: for even more torque

3 XL3 BIT HOLDERS



Flash this to see the video !

9463001001

SCREWING BOX / 115 PIECES

MOBEST



9416107001



QUALITY

High-quality S2 tips.
Guaranteed to NF ISO 1173 standard
BIT HOLDERS
Autolock magnetic
PRATICAL
Endcap retention system on swivel bars



x1 Screwdriver handle



x1 Magnetic tool holder



x1 Bit holder socket 1/4



25 mm

- x7 Slotted : 3.5-4-5.5x2-6.5-8
- x20 Phillips : PH0 X2 - PH1X5 - PH2X10 - PH3X2-PH4
- x20 Pozidriv : PZ0 - PZ1X5 - PZ2X11 - PZ3 X2 - PH4
- x25 Torx : T6-T7-T8-T9-T10X2-T15X2-T20x8-T25X2-T27-T30X3-T40X2-T50
- x5 Tamper Torx : TT10-TT15-TT20-TT30-TT40
- x20 Hexagonal : H1.5X2-H2X2-H2.5X2-H3X2-H4X2-H5X3-H6X3-H7-H8X2-H10
- x4 Square : 0-1-2-3
- x4 Spanner : 4-6-8-10
- x3 Triwing : 2-3-4
- x4 Torqset (4 wing) : 5-6-8-10

INNOVATION

UNO: SCREWDRIVERS ALWAYS IN ORDER!



SAFETY

Blades don't overflow.
No risk of injury when searching for a screwdriver.

PRATICAL

Efficient storage and ultra-fast identification of the right screwdrivers.
A quick glance to check for missing screwdrivers.
Screwdriver locking system through the blade.
Perfect stability of the Set on flat surfaces



UNO Slotted-Phillips **x6**

- 4x100-5,5x125-6,5x150
- 8x150
- PH1-PH2

9127061101

UNO Slotted-Pozidriv **x6**

- 4x100-5,5x125-6,5x150
- 8x150
- PZ1-PZ2

9127061201

SAVES SPACE IN THE TOOLBOX



FITS EASILY IN THE HAND



ULTRA-FAST IDENTIFICATION



BIMATERIAL SCREWDRIVERS



POWERFUL

High torque thanks to 6 neoprene lobes.

FAST

Round, slimmed body for fast retrieval.

VISIBLE

Color-coding for easy fingerprint identification.

QUALITY

Chrome vanadium steel quality.
Phosphated impression for better grip.
No risk of splintering.



x6 Slotted-Phillips

- 4x100-5,5x125
- 6,5x150-8x150
- PH1-PH2

9129001101



x6 Slotted-Pozidriv

- 4x100-5,5x125
- 6,5x150-8x150
- PZ1-PZ2

9129001201



x6 Tamper Torx

- TT10-TT15
- TT20-TT25
- TT27-TT30

9129000501



x10 Slotted-Phillips-Pozidriv Torx-Magnetizer

- 4x100
- 6,5x150
- PH1-PH2
- PZ1-PZ2
- T15-T20-T25-T30

1 magnetizer/demagnetizer included

9129000801



PRECISION SCREWDRIVERS

micro



PRATICAL

Satin chrome finish blade.
Colored rings for easy identification.
Pivoting head and rear of screwdrivers designed for use in different positions.



x6

2-2.5-3

PH00-PH0-PH1

9169010001




x12

1,5-2-2,5-3

PH00-PH0-PH1

T6-T7-T8-T9-T10

9169020001



S2 MAGNETIC HEX WRENCHES

MOBEST



MAGNETIC

Genuine built-in magnet, does not lose its magnetization.
Soft, anti-slip, anti-grease PVC sheathing.



RESISTANCE

Silicon steel S2 offers superior strength and higher hardness than CrV steels



Hexagonal spherical

x9

Size : 1,5-2-2,5-3
4-5-6-8-10 mm

9061020101



Torx and Tamper Torx

x9

Size : TT10-TT15-TT20
TT25-TT27-TT30-
TT40-TT45-TT50

9064020101

WALLET OPENING



IDEAL FOR INSTALLING OR REMOVING SCREWS IN DEEP OR HARD-TO-REACH SPOTS



CHROME VANADIUM



PROFESSIONAL QUALITY
NF ISO 2936 GUARANTEE



Short Hexagonal

x9 

Size. : 1,5-2-2,5-3 4-5-
6-8 -10 mm

9062010101



**Hexagonal
Long
spherical**

x9 

Size. : 1,5-2-2,5-3
4-5-6-8-10 mm

9061010101



**Torx
spherical**

x8 

Size. : T9-T10-T15 T20
-T25-T27-T30-T40

9066010201



**Tamper
Torx**

x8 

Size. : TT9-TT10-TT15-TT20-
TT25 TT27-TT30-TT40

9064010101



PROTANIUM



RESISTANCE

Special steel 5 times
more resistant to corrosion
than conventional steel
High dimensional precision

**TORQUE RESISTANCE
AND EXCEPTIONAL
TORSION RESISTANCE**



**Long
spherical**

x9 

Size. : 1,5-2
2,5-3-4-5
6-8-10 mm

9051010101





WATER PUMP PLIERS

FORTISSIMO

ROBUST QUALITY

Durable, reliable interlocking construction
Multi-profile grip
Anti-slip notched zone
Forged steel head, chrome-plated
Bimaterial handle



Flash this to see the video!



SELF-LOCKING



- Adjustment right on the workpiece: place the upper beak on the workpiece and push the lower arm. No knob to manipulate no need for multiple trials to find the right gap.
- The clamp can be put down and taken up again: the setting is retained. To cancel the setting, simply open the arms

WITHOUT BUTTON



- Practical for hard-to-reach places
- For all work at height
- No risk of snagging

MOBEST



OPENING

Max. opening 50 mm
16 adjustment positions



AUTO AND ULTRA-FAST ADJUSTMENT. BUTTONLESS

6484240401

WATER PUMP PLIERS



MAX. OPENING 55 MM

Washable PVC handles
Length 240 mm
Multi-profile grip
Anti-slip notched zone
Induction-treated grip zone for maximum durability
7 adjustment positions
Finger pinch safety system
Very fine machining for optimum grip



6480240001

NEEDLE NOSE GROOVE PLIER

High-strength induction-treated spouts
Bimaterial handles-Length 240 mm



MAX. OPENING 30 MM

More precise grip
Better accessibility
Finger pinch safety system
Anti-slip notched zone
7 adjustment positions



6482240401

MOBEST

BECAUSE CUTTING AND HANDLING ARE KEY TO THE QUALITY OF A RANGE OF PLIERS

BETTER CUTTING PERFORMANCE

Offset axis for maximum «high leverage»

PERFORMANCE AND DURABILITY

Superior steel quality: Chrome Molybdenum, an alloy renowned for its high mechanical qualities, and in particular its toughness

Hardened cutting edges for longer tool life

Optimal cutting edge geometry

Cutting pliers are designed to cut all types of wire and strip.


DESIGNED HANDLE FOR ENHANCED ERGONOMICS

1-More pronounced guarding

2-Easier opening

3-Wider handles : less muscular effort

4-Refined end zone: better protection of the carpal tunnel



SET OF 3 BIMATERIAL PLIERS



1 160 mm cutting pliers
1 universal 180 mm
1 needle nose groove plier

0000989001

LOCKING PLIERS



Short Jaw

Size. : 220 mm

9306220001



Long Jaw

Size. : 250 mm

9306250001



High capacity

Size. : 270 mm

9306280001



ONE-HAND UNLOCKING

By rear lever

CLAMPING PERFORMANCE

Adjustable clamping force via thumbwheel

JAW PERFORMANCE

Forged Chrome Vanadium steel jaws for high wear resistance

Powerful grip thanks to full-depth toothing

Easy gripping of round parts in axial position thanks to machined groove on upper jaw

BOLT CUTTERS FORGED ARMS

AXIAL CROSS-SECTION. FORGED ARMS. TEXTURED HANDLES

MOBEST



ROBUST

Fully forged arms:
Crush-proof.
Resistant to extreme worksite conditions.
Resistant to accidental twisting: can be straightened.
Anti-slip, anti-cold grip.

FORGED AND HARDENED BLADES

Deformation-resistant.
Long service life (hardness: 45HRC).
Workpiece stop with protective plate.
Cutting capacity up to 140 daN/mm² steel.
Axial cutting.
Quick, easy adjustment of blade parallelism.

Size. mm	80 daN/mm ²	Ref.
600	Ø 10	0514060610
750	Ø 12	0514070610
900	Ø 14	0514080610



BOLT CUTTERS TUBE ARMS

AXIAL CUTTING AND SOFT ERGONOMIC HANDLES



CUTTING PERFORMANCE

Cutting capacity up to 16 mm diameter
Form-stable forged blades
High-strength Chrome Vanadium Molybdenum steel
Selective induction hardening of cutting edges
Exclusive geometry for wider opening
Screwed heads for greater compactness than bolts
Protective plate to prevent accidental unscrewing

EASE TO USE

Simple blade gap adjustment by 1 single eccentric screw.
Tip: leave a gap between the 2 blades to avoid damage.
Simple blade change with 2 screws



Size. mm	80 daN/mm ²	Ref.
450	Ø 8	0515060610
600	Ø 10	0515070610
750	Ø 12	0515080610



MOBEST

METAL SAW

IDEAL FOR INTENSIVE WORK

MetalCut



EXCEPTIONAL RESISTANCE

- Tension: 190 Kg
- Strong, durable steel structure
- Hand rest
- Supplied with a flexible bimetal cobalt HSS blade

PRECISION

- Guided by the little finger, the most precise because it is closest to the cut
- Blade tension adjustment

ERGONOMY

- Lever above the handle: no discomfort, no risk of mishandling
- Double elastomer handle: reduces fatigue and increases performance 10 teeth/cm




TENSION 190 KG !

6309000001



45°



90°



TOPSECURITY CUTTER / 25 MM



SELF-RETRACTING

- 30% of injuries occur at the end of the cut (source CNAMTS)

SELF-RETRACTABLE DOUBLE SAFETY :

- Button retention
- The blade retracts as soon as it is no longer in contact with the material to be cut

+10 25 mm trapezoidal blades

6228011001

ALUMINIUM METAL SAW / 450 MM



- Die-cast aluminium handle
- Square tube
- Tension by wing nut

6369240010

END CUTTING PLIER / 250 MM



**Ø CUTTING WIRE 1.6 MM
CUTTING FORCE (N) 415**

6350250001

RESISTANCE

- Optimum, long-lasting cutting edge (hardness 50-54 HRC)
- Ultra-resistant wide rivet
- Red epoxy paint for greater corrosion resistance
- Wide, spatulated handles for greater power and comfort

SHEARS / 210 MM



HIGH CUTTING POWER

0361200401

ERGONOMY

- 2 opening positions : for small and large hands

IN STAINLESS STEEL

- (including screws and spring)
- Thread-cutting function Self-sharpening of the cutting edge by crossing the blades.



PUNCH SET WITH GASKET CUTTING TOOLS

SET OF CUTTERS Ø 3 TO 30 MM (PAIR)

Threaded tubes Ø 3-4-6-8-10 mm

Smooth tubes Ø 12-14-16-18-20-22-24-26-28-30 mm

Centring handle



USE

Joint cutters can be used to cut soft materials (rubber, leather, felt, foam, Teflon, etc.) or materials such as fibreglass or steel (up to 0.3 mm).

SPECIFICATIONS

The strength of the tubes is between 162 and 180 kg/mm²

8004309001

Factory quality control





MOB LEADER IN HAMMERS FOR THE INDUSTRY 550,000 HAMMERS MANUFACTURED PER YEAR



HEAD STEEL QUALITY

High-carbon steel
Forged heads for perfect fiberization and superior strength
Double hardening and selective zone hardening thanks to induction heat treatment.



HIGH-PERFORMANCE FITTING

Hydraulic press-fit, with load cell and pressure sensor
Pull-out performance is 400% better than the norm, and is the hallmark of MOB outillage.



A PERFECT FINISH


Finely polished working parts
Electrostatically applied epoxy powder paint, followed by oven baking.

MOBEST

HAMMER WITH CARBON HANDLE

4 MATERIALS

1. **Carbon fiber** : 2 sets of carbon fiber. Striking is dry, easy, powerful and precise.
2. **Fiberglass** : Extreme resistance to bending, a major anti-breakage feature.
3. **Polypropylene** : Hammer resistance to impact.
4. **Elastomer** : Soft, ribbed grip with "anti-blister" firmness. Allows hammer to be gripped along its entire length.



Carbon

100% MADE IN FRANCE

Head forged at our Le Chambon Feugerolles plant and four-material handle injected at our Ambierle plant



Flash this to see the video !



IDEAL FOR STRONG STRIKES

Height mm	Head weight g	Ref. HICKORY
30	400	0001300701
32	500	0001320701
36	630	0001360701
40	800	0001400701
42	1000	0001420701
50	1500	0002500701

HAMMER WITH WOOD HANDLE



Genuine American Hickory



HICKORY HANDLE

Wood with greater density, ideal for strong strikes

Height mm	Head Weight g	Ref. HICKORY
30	400	0001300301
32	500	0001320301
36	630	0001360301
40	800	0001400301
42	1000	0001420301
50	1500	0002500301



From sustainably managed forests



ASH HANDLE

Ideal for light to medium duty

Height mm	Head weight g	Ref. HICKORY
30	400	0001300201
32	500	0001320201
36	630	0001360201
40	800	0001400201
42	1000	0001420201
50	1500	0002500201





**SOFT AS A SLEDGEHAMMER
POWERFUL AS A CROSS PEIN HAMMER**

**2 HEADS,
1 HAMMER**



DUO

INNOVATION



NYLON TIP



2025 NEW MODEL



TPU TIP

2025 NEW MODEL



RUBBER TIP



Flash this to see the video !

1 HAMMER SIDE

A real hammer, with the same power as a cross pein hammer. Same weight, same balance and same quality

1 SLEDGEHAMMER SIDE

For a "soft hit" that won't mark delicate parts.

White nylon: 65-70 ShoreD

Red TPU: 40-50 ShoreD

Black rubber: 90 ShoreD

2 IN 1

Practical, compact 2-in-1 product

2 tools in one hand, just turn

No need to change tools

INNOVATION

Patented process, unique on the market (Patent Pending).

Designed and manufactured in France.

Height mm	Tip diameter mm	Head weight g	Ref.
DUO HAMMER WHITE NYLON TIP			
27	Ø 27	340	0390270701
32	Ø 32	530	0390320701
35	Ø 35	660	0390350701
40	Ø 40	1000	0390400701
50	Ø 50	1580	0390500701
NEW 2025 DUO HAMMER RED TPU TIP			
32	Ø 32	340	0390329701
35	Ø 35	530	0390359701
40	Ø 40	660	0390409701
NEW 2025 DUO HAMMER BLACK RUBBER TIP			
35	Ø 35	340	0390358701

Diameter	Ref.
WHITE NYLON TIP	
Ø 27	0371271001
Ø 32	0371321001
Ø 35	0371351001
Ø 40	0371401001
Ø 50	0371501001
NEW 2025 RED TPU TIP	
Ø 32	0371329001
Ø 35	0371359001
Ø 40	0371409001
NEW 2025 BLACK RUBBER TIP	
Ø 35	0371358001

PROTECT HAMMER MODEL

ROBUSTNESS AND DURABILITY

Tamper-proof metal bushing extends hammer life

OPTIMUM SAFETY

The bushing is not simply a ring added to the underside of the head: it passes through the head and is pressed in at the same time as the handle, guaranteeing optimum press-in resistance and an unremovable bushing.

STEEL KICKBACK GUARD



Chrome-plated steel through bushing. Round steel corner



Height mm	Head weight g	Ref.
32	500	0001329301
36	630	0001369301
40	800	0001409301
45	1250	0002459301
50	1500	0002509301
55	2000	0002559301

INNOVATION **FORGED MALLET WITH INTERCHANGEABLE TIPS CARBON HANDLE**




Carbon



0392350701

SAFETY

Unbreakable handle and unbreakable connection between head and handle: wedge + resin.
Pull-out performance 1.5 times the standard.
Safety instructions on handle.



CONFORT

Ergonomic handle.
Precise strike
Additional side strike.

TIPS

Ø35 mm
Nylon (white): 65 - 70 Shore D
TPU (red): 40 - 50 Shore D



4 MATERIALS



- 1. CARBON FIBER** : 2 sets of carbon fiber. Easy, powerful and precise strike
- 2. FIBERGLASS** : Extreme resistance to bending, a major anti-breakage feature.
- 3. POLYPROPYLENE** : Hammer resistance to impact.
- 4. ELASTOMER** : Soft, ribbed grip with "anti-blister" firmness. Allows hammer to be gripped along its entire length.

NEW MODEL **DOUBLE HARDNESS RUBBER HAMMER MALLET**

POLYVALENCE

Head with 2 different hardnesses for striking delicate parts without marking them.

White side: hardness 70 +/-5 Shore A.

Black side: hardness 85 +/-5 Shore A.

Striking Ø: 60 mm.

RESISTANCE

Tapered shank for greater impact resistance.

DURABLE

Handle with Ash wood: PEFC label.

Wood from sustainably managed forests



0366600201


COLD CHISEL

PATENTED

SAFETY HEAD
Prevents « mushrooming » effect

QUALITY GUARANTEE MANGANESE SILICON

Superior quality steel,
forged and hardened for a more
aggressive and resistant.
Through-hardened.



Size. mm	Ref.
200 mm	7210200001
250 mm	7210250001

BIMATERIAL HANDLE CHISELS/ 250 MM

BIMATERIAL KICKGUARD

Bimaterial comfort
Inner blades designed
to absorb striking vibrations
Lifetime regrindability
(hardened forged steel, Silicon quality)
Extremely high striking efficiency



7210250201

PIN PUNCH SET 3-4-5-6-8 MM

1-1 hardened steel pins
2-1 metal handle
3-1 soft plastic overmold for grip
4-1 shock-absorbing comfort grip



7248040010

PIN PUNCH SET

2-3-4-5
6-8 MM



CONFORT

Air-grip handle
Length 150 mm

RESISTANCE

Octagonal CRV steel
One-piece body



7266010001

FILES CASE



BIMATERIAL FILES X4-200 MM

1 semi-soft hand dish
1 semi-soft round
1 semi-soft round
1 flat hand

0935208201



QUALITY

Long service life and powerful bite
thanks to forged and hardened
alloy steel

MOB, THE EUROPEAN LEADER IN INDUSTRIAL FILES



NEEDLE FILES X6-160 MM

11 flat file 1 flat pointed file
1 square file 1 round file
1 triangular file 1 half-round file


0983162001





INNOVATION

POWER BAR



+ POWER

Oval body with strong cross-section in the direction of effort, does not flex. Wide base for perfect stability when lifting or pulling a nail.

+ PERFORMANCE

60% more gear ratio at the start thanks to its progressive curve

- PATENTED

+ ACCESSIBILITY

Optimized accessibility: room for the hand when coming up against a vertical piece to lift
Wide, tapered ends for deep insertion everywhere

QUALITY


European quality one-piece forged steel, induction heating and heat treatment of working parts for professional quality and optimum strength



Flash this to see the video !



POWER MADE IN FRANCE



MADE IN FRANCE IN OUR FACTORIES



600 mm

7187600010



900 mm

7187900010




Set x3

350 mm
600 mm
900 mm


7187000301

VICES


A range of **HIGH-QUALITY** vices, forged and hardened for maximum strength and intensive use



Anvil table
hardened (50-56 HRC)



Measurement scale



Extra wide opening
Milled and tempered jaws



Forged steel base

MAGNAT PLUS

TUBE CLAMP VERSION

For optimum clamping of cylindrical parts
Optional turntable



Flash this to see
the video!



TRAINING SQUARE EXCLUSIVE : SQUARE 1/2"


For faster, easier tightening
on large parts, with a ratchet or even a screwdriver + 1/2" adapter + precise with a torque wrench



Size. mm	Opening	Ref. vice	Ref. turntable.
Magnat 120 mm	150 mm	6469120010	6471120010
Magnat plus 120 mm	150 mm	6470120010	6471130010
Magnat 140 mm	200 mm	6469140010	6471140010
Magnat plus 140 mm	200 mm	6470140010	6471150010

ANGLE MAGNET

Support for metal parts, steel and iron
Precise positioning of flat or round parts thanks to U-shaped profile
Positions at 90° and 45°



0048000000



SWITCH ON/OFF :

switch to stop magnetization:
parts can be removed without risk or effort
without risk or effort, and easy to clean.



SWITCH

30x150x140 mm
With switch





MOBEST

RIVET PLIERS BOX



HDPE box
 Size: 405 x 225 x 60 mm
 Epoxy paint
 Mouthpiece hardness 44 HRC
 Hardness of internal
 58 HRC



PERFORMANCE

Quick, flexible, smooth
 and easy
 Good stem ejection
 after rivet setting

RESISTANCE


Fixed body in cast
 aluminum alloy
 and moving arm in
 3 mm thick

Rivet plier alone

9350001001

Rivet plier box + 500 rivets

9350005001



DIGITAL CALIPERS/150 MM

COMPLIANT WITH DIN 862



DIFFERENT READING MODES



1/100TH MM

LCD display for easy measurement
 mm/inch measurement
 Inside-outside-depth measurement
 Absolute and relative measurement
 Supplied with 3V Lithium battery (CR2032)
 Automatic sleep mode

Delivered
 in a plastic
 box with
 certificate of
 conformity



5200150001

UNIVERSAL PULLER SET INTEX/2 PIECES



UNIVERSAL

Reversible grips,
 External or internal socket
 2 or 3 claws

ROBUST

Forged body and claws
 Hardened screw tip

EASY USING CHANGE

Self-locking claws
 1-hand configuration change



2 TONS-5 TONS

Supplied as a module for tool trolley, designed to
 keep the power screw mounted



2/3 reversible claws
 for various extraction
 configurations.

0770000101



SCREW EXTRACTOR SET/19 PIECES

EXTRACTION AND TAPPING



HDPE BOX-SIZE. 405X225X60 MM-FOAM INSERT

1 ratchet tool holder

1 removable head

5 conical drills

5 extractors: N°1: M4/ N°2: M6 to M8/ N°3: M8 to M10/

N°4: M12 to M14 / N°5: M14 to M20

7 taps: M4-M5-M6-M8-M10-M12-M16

9436019001

Steps

1/Drilling with the conical drill bit

2/Unscrewing with the extractor

3/If the thread is damaged,

reconstitute a thread

using a tap



NEW

COMPACT TAPE MEASURE

3m

x13 mm



6274030401

PRECISION

Complies with MID 2004/22/CE.
Accuracy class II : 0.5 mm/m.

COMFORTABLE

Ergonomic ABS case impact-resistant bimaterial. White ribbon and black measure for easy readability

ULTRA-COMPACT

The size of the case allows you to put it in your pocket

DURABLE

Alloy carbon steel ribbon
65Mn: very high strength strength and resilience.



MEASUREMENTS

Ergonomic case: bimaterial, anti-shock and anti-slip
Durable belt clip

roll'up



ENVIRONMENTAL PROTECTION

Moisture- and abrasion-resistant CLASS II: 0.5 mm/m
Complies with European MID 2004/22/CE standard

Size. mm	Ref.
3 x 16	6277031401
5 x 25	6277051401
8 x 25	6277081401

PROTECH KNEELING MAT

MOBEST

COMFORT
IN TOTAL FREEDOM



ENVIRONMENTAL PROTECTION

Clean manufacturing: 0% CFCs, 0% HFCs, 0% VOCs, 0% Azodicarbonamide
Guaranteed PVC-free composition
Does not release harmful substances:
Reach compliance
No allergic risk: 0% latex

HIGH QUALITY

High-density closed-cell foam
Non-slip vulcanized NBR rubber
Excellent resistance to petroleum liquids (petrol...) and oils
High-temperature resistance

6423000001



ADJUSTABLE STRAP SELF-WINDING

Faster



PRATICAL : Fast and easy fastening to hold loads inside vehicles

ULTRA-FAST : Automatic retraction with red button.
Quick tension adjustment with ratchet.



L 3.0 M X L 48 MM

Ready-to-use strap, already mounted on ratchet
Round metal double J hook
100% high-quality polyester webbing
Lashing capacity: LC 600 daN
Complies with NF EN 12195-2 standard

6299301001

MAGNETIC LEVEL

COMPACT : 23 CM



PRECISION MAGNETIC 1 mm/m

Cast aluminum body for high impact and abrasion resistance
Machined base for greater precision
3 vials: 1 large, fixed horizontal vial for greater visibility, 1 fixed vertical vial and a 180° rotating vial.

6273001001



fixled INDUCTION LIGHT



LOADING

- By induction the lamp is magnetized to the base by 2 magnets. No need to plug in for reloading
- The base is plugged in. It can be fixed by screw or magnetized to a metal surface.
- Charging time: approx. 4.5 hours

MAIN LIGHT

- 5W COB LED lamp
- Powerful, constant white light
- Adjustable light intensity with long-push dimmer switch
- Brightness at full power : 875 lux at 0.5 m / 500 lumens
- Brightness at low power : 85 lux at 0.5 m / 55 lumens


TOP LIGHT

- 1155 lux à 0.5 mètre
- 300 lumens

- Battery: 3.7V 2600mAh Li-ion
- Operating time
- Main light: 3-10 hours
- Top light: 5 hours



Flash this to see the video !



9604080001

SLIMLED



ULTRA FLAT (9 MM)

For accessibility in hard-to-reach places

POWERFUL LIGHTING (700 LUX)

Adjustable with dimmer
White light = COB LED

MULTI-POSITION

Lamp orientation thanks to magnetic base.

Keep both hands free to work



300 lux at 0,5 m





700 lux at 0,5m



Operating time :
 Full power: 2.5h
 Medium power: 12h
 Charging time: 4h
 Supplied with :
 Mains charger
 + USB cable



Flash this to see the video !



CORDLESS POWERFUL LIGHTING

9604060001



VDE : All screwdrivers, wrenches and pliers are tested for insulation at 10,000v. the conformity of the products and the manufacturing process to the standard is certified by the VDE-GS control authority.



ABS TROLLEY CASE/128 PIECES



- 11 Combination wrenches : 8-9-10-11-12-13-14-16-17-19-22 mm
- 1 Adjustable wrenches 200 mm
- 6 VDE screwdrivers : 4 slotted : 3x75-4x100-5,5x125-6,5x150 + 2 ph : 1-2
- 5 Micro screwdrivers : 3 slotted : 2-2,5-3 mm + 2 phillips : ph00-ph0
- 1 Voltage testor
- 1 VDE water pump pliers
- 1 VDE universal pliers 180 mm
- 1 VDE cutting pliers 160 mm
- 1 VDE half-round jaws pliers 200 mm
- 1 VDE wire stripper 160 mm
- 1 Pincers 200 mm
- 1 Universal shears
- 1 Crimping pliers
- 1 Box of 30 connectors
- 9 Hex keys 1,5-2-2,5-3-4-5-6-8-10
- 1 Engineer's hammer 30 mm ash handle
- 1 Half-round file 200 mm
- 1 Measurement 3 m
- 1 Workshop ruler 15 cm
- 1 Centre punch 6 mm
- 3 Pin punches 4-5-6 mm
- 1 Cutter
- 1 Rectangular level 30 cm
- 1 Led Light

- Square 1/4 : 1 ratchet
- 13 sockets : 3,2 to 14 mm
- 1 Sliding handle
- 2 Extension bars 50 and 125 mm
- 1 Universal joint
- 1 Adaptor
- 1 Bit holder socket
- 1 Bit holder
- 30 Screwdriver bits

- Square 1/2 : 1 ratchet
- 17 Sockets : 10 à 32 mm
- 2 Extension bars 125 and 250 mm
- 1 Universal joint
- 1 Sliding handle
- 1 Adaptor

Size. 450 x 200 x 365 mm

953812800A



SYSTEM TROLLEY INTEGRATED



CONFORT

- Integrated trolley system
- Protection system
- ABS: lightweight and highly impact-resistant
- Bimaterial handle
- Aluminum frame

PRATICAL

- 2 pre-fitted tool panels
- Foam in bottom of case
- Key lock





DUOBAG ELECTRICITY / 53 PIECES



**LARGE CAPACITY
DOUBLE COMPARTMENT**

- Size. 450 x 200 x 365 mm
- 12 combination wrenches : 5,5-7-8-10-11-12-13-14-16-17-18-19 mm
- 6 insulated screwdrivers : 4 slotted : 3,5x75-4x100-5,5x125-6,5x150
- 2 Phillips : PH1-PH2
- 1 voltage tester
- 2 terminal screwdrivers
- 1 water pump pliers
- 1 VDE wire stripper 160 mm
- 1 VDE diagonal cutting pliers 160 mm
- 1 pince bec demi rond coudé de 200 mm VDE
- 1 cable cutter
- 9 hex wrenches 1,5-2-2,5-3-4-5-6-8-10
- 1 crimping pliers
- 30 connectors
- 1 electrician's scissors
- 1 electrician's knife
- 1 measurement 3 m
- 1 electrician's hammer 18 mm ash handle
- 1 cutter + 10 blades
- 1 universal key

9591053001



CD CUTTER STRIPPING PLIERS



**EXCELLENT SLEEVE
ERGONOMICS**



9335661401

1.5 et 2.5 mm²



SPECIAL ELECTRICIAN

- Strips 1.5 and 2.5 mm² diameter cables.
- Practical for electrical work on single-family homes, where 95% of wiring is 1.5 and 2.5 mm².

QUALITY

- Made of chrome molybdenum, a suitable alloy with high mechanical properties, which ensures durability
- Hardening of cutting edges for longer service life.
- Cutting edge hardness: 58 HRC minimum.
- Easy cutting close to the axis over 6 mm.

Unit-tested. Complies with European EN60900 and VDE certified, the most demanding organization for insulated tools.

INSULATED SCREWDRIVERS 1000 V



POWERFUL

High torque thanks to 6 neoprene lobes.

FAST

Slim, round body for fast speed during recovery.



- 3,5X75
- 4X100
- PH1
- 5,5X125
- 6,5X150
- PH2

4 slotted + 2 Phillips **x6**

9129500101

ELECTRICIAN SCISSORS



6217000001

- +** **QUALITY**
Blades in stainless steel 40 mm
- SECURITY**
Sheathing to the joint
- COMFORT**
Bi-material handles
Integrated thread-cutting function



ELECTRICIAN KNIFE

Size. opened : L175 mm- Closed L100 mm



6218020001

- +** **QUALITY**
Hardened stainless steel blades
Assembled with brass rivets
High-impact wood
- COMFORT**
Wire-cutting function
Stripping function

2 TEMPERED STAINLESS STEEL BLADES

An 8 cm straight wooden blade and a curved 7 cm serpette-type blade specially designed for working cables and sheaths



CRIMPING PLIERS


9330220001

MULTIFUNCTION

- Crimp terminals pre-insulated 1.5-2.5-6 mm²
- Crimping bare terminals 1.5-2.5-6 mm²
- Stripping from 0.75 to 6 mm²
- Wire cutters
- Screw cutters M2.6 to M5



HIGH RESISTANCE



ELECTRIC CABLE CUTTERS

2 MODELS

For stripping and cutting copper and aluminum cables
Forged, oil-hardened steel
Adjustable screw joint.



160 MM
Ø 16 MM-50 MM²

9371160401



INSULATED 1000V 210 MM
Ø 25 MM-70 MM²

9371710401



AUTOMATIC WIRE STRIPPER

STRIPPING / CUTTING

9331001001



Smooth, effortless effortlessly from 0.08 mm² to 6 mm² (AGW 28 to 10).
Stripping length adjustable from 3 to 22 mm
Built-in wire cutter : 1.5 mm² single-strand wire-10 mm² stranded wire
Easy access adjustment top-mounted slider



Opening of jaws after pressure is released: enables to use the gripper tip to grasp the sheath.

Scanning system prevents strand damage during stripping.



STILLSON PIPE WRENCHES

HIGH-CARBON STEEL



ROBUST

Forged and hardened jaws (56 HRC).
Fully forged body withstands extreme conditions.
Single-spring system, possible effort recovery with one hand

Size. inches	Size. mm	Ref.
1"	250	9021250001
1 1/2"	350	9021350001
2"	450	9021450001
2 1/2"	600	9021600001
3 1/2"	900	9021900001



PIPE CUTTER

MINIMUM SPACE REQUIREMENT

Ideal for small spaces



FAST WHEEL ADVANCE BY TELESCOPIC EFFECT

4 grooved rollers for flush cutting
Comfortable knob
Retractable rotary deburrer



PVC RATCHET PIPE CUTTER

Fast, effortless, burr-free cutting.
Opening by spreading handles apart



Model	Capacity	Ref.
Mini pipe cutter	3-28 mm	6496003001
Telescopic pipe cutter COPPER	3-42 mm	6493034201
Telescopic stainless steel tube cutter	3-42 mm	6494034201
PVC pipe cutter	3-42 mm	6495034201

COMPACT' ADJUSTABLE WRENCHES




TAPERED JAWS



OPENING EXTRA-WIDE

34 mm



PRATICAL : 3 IN 1

Replaces 3 standard adjustable wrenches :
. 6" capacity equivalent to a standard 6"+8"+10" wrench
. 8" capacity equivalent to a standard 8"+10"+12" wrench

PERFORMANCE

Jaw opening 60% to 79% greater than a standard wrench

ACCESSIBILITY

50% more tapered jaws for better access in tight spaces 60% lighter than a standard key-30% shorter than a standard key

Dim	Long	Capacity	Ref.
6"	165	34 mm	9043151401
8"	210	38,5 mm	9043201401



DUOBAG PLUMBING / 74 PIECES

















Size : 450x200x365 mm



+
 Double compartment
 Side reinforcements
 Comfortable handles



9591074001

-  x5 Articulated ratchet combination wrenches : 8-10-13-17-19 mm
-  x1 Stacking pliers
-  x5 Bimaterial screwdrivers 5.5x100-6.5x150-8x150-pz1-pz2
-  x1 VDE screwdriver: slotted 3.5x75
-  x1 Short screwdriver pz1
-  x9 Hex keys 1,5-2-2,5-3-4-5-6-8-10 mm
-  x1 Level 40 cm
-  x1 Cutter
-  x1 Measurement 3 m
-  x1 Metal saw + 10 blades
-  x3 Pipe cutter : copper, pvc et mini
-  x1 Large-capacity adjustable wrench
-  x1 Stepped wrench
-  x1 Bit holder handle
-  x32 30 Screwdrivers bits + magnetic bit holder
-  x1 Cutting pliers





INNOVATION

LOAD LIFTER



Height
3,50 M



PATENTED
Safety system
2 cables

MANUAL ELEVATOR

- Maximum working load: 100 kg
- Maximum installation height (floor/platform): 3.50 m
- Loading height: 1.40 m
- Platform made of 9 mm multi-ply wood: 795 x 375 mm, mixed FSC label.
- 2 straps supplied with unit
- Safety system consisting of 2 cables: 1 working cable and 1 anti-fall safety cable.
- Braking system integrated into the winch, attached to guide handle.
- Good crank clearance for better control
- Equipped with 3 Ø 125 mm braked wheels
- Wheelbase: 1.05 x 1.05 x 1 m
- Unit weight: 29 kg



Made in France



2 STRAPS SUPPLIED WITH UNIT



IDEAL FOR AIR-CONDITIONING



6550065001



MOBEST

FOLDING WORK BENCH



Feet held in place by clip pin.




Quality tray

TRAY

- High-quality plywood top, which ensures high stability
- Wood type: high-density beech, only 25 mm thick. PEFC-certified wood
- Steel angle, flush with the top, for easy vice attachment

STABILITY

- Extremely robust construction
- 35 mm square steel tubes, with feet supported on the frame
- on the frame, for resistance to heavy weights
- Flared feet and ground clearance of tabletop size for good stability
- Weight: 26 kg for stability
- Rubber glides
- Feet secured by clip pins, for easy transport



Folded dimensions : 108 x 64 x 13 cm.

SPECIFICATIONS

- Size : 108 x 64 cm
- Height: 84 cm
- Red epoxy paint
- Folded dimensions: 108 x 64 x 13 cm
- Square tubes of 35 mm

9610100001

MONDELIN FRENCH MANUFACTURER

MADE IN
FRANCE



A French manufacturer of hand tools and equipment since 1952, Mondelin is located in Ambierle, Loire (42). This production site is in full expansion, and numerous investments are made each year to deploy and renew its machine park, in order to remain high-performance, innovative and efficient.

The factory is divided into three strategic fields:
metal, wood and plastic processing



ROBUST, DURABLE TOOLS

To ensure that its tools are constantly evolving to meet users' real needs, Mondelin has a Research & Development team that visits job sites every day to see, listen and understand new requirements, and to test and approve each new tool before it goes into production.

Behind every innovation is a user

To meet these needs, quality, practicality and sturdiness come first. Every tool is designed down to the smallest detail, for the comfort and performance of those who use it.



OUR COMMITMENT TO THE ENVIRONMENT :

- French manufacturing to limit transport and develop local employment
- Quality tools designed for maximum service life
- Repairable equipment with many spare parts available
- We are PEFC and FSCTM certified for sustainable and responsible forest management.
Only products identified as such in this catalog are PEFC and FSCTM certified.
- Here are a few examples of responsible manufacturing:
 - 72% of plastic raw material purchases come from recycled materials: MORE 2024 label obtained
 - Powder paints, VOC-free (Volatile Organic Compounds)
 - The plant has a biomass boiler, fuelled by offcuts from our wood workshop

REPLACE PLASTIC PACKAGING WITH CARDBOARD

Listening to our customers and sensitive to our environment, we decided to adapt and gradually replace the plastic packaging of our tools and equipment with recyclable cardboard packaging. We have therefore invested in a complete cardboard cutting and folding line located directly in our plant.

Result:

- A packaging machine that adapts to the product format for better protection and easier storage and transport.
- 100% recycled cardboard blanks and 100% recyclable packaging
- Integrated know-how with less transport, greater responsiveness and an improved local economy



Flash this code to discover Mondelin's DNA as told by its teams



FOLLOW OUR NEWS :



www.mondelin.com



MODUL'AIR PLATFORMS

NEW

MODUL'AIR


**THE PLATFORM THAT
ADAPTS TO YOUR NEEDS**



AN INNOVATIVE CONCEPT

FOR WORKING AT HEIGHTS SAFE AND SECURE

**MODUL'AIR PLATFORMS CAN BE COMBINED TO SUIT ANY ENVIRONMENT.
THEY ENABLE YOU TO WORK SAFELY AT HEIGHT OVER LARGE SURFACES.**



(in T)



(in L)



(in I)





Flash this to see the MODUL'AIR in action!



2 EXISTING UNITS

MAIN MODULE
 x 1 platform
 x 1 access step
 x 1 gate
 x 7 guardrails
 x 1 transport cart
 Total weight : 84 kg

Ref: 500800



COMPLEMENTARY MODULE

x 1 platform
 x 6 guardrails
 x 2 connecting posts
 x 2 connecting keys
 x 1 transport cart
 Total weight : 71 kg

Ref: 500810



> Each element is available separately to configure our customized platform or as a spare part.

> Complies with standard NF 93-520

> 190x60 cm platform in non-slip plywood



MODULAR

- Height adjustable from 68 cm to 1 m
- Maximum working height of 3 m



- Platforms are easily linked together using connecting posts.

- The access steps and wicket door can be placed in any position.



MOVABLE



- 4 360° wheels with brakes and quick-set stabilizers.



- Feet can be angled inwards to get closer to the task in hand.

EASY TO TRANSPORT

- Easy to transport thanks to a cart that moves all the elements in 1 go. Everything fits through a door.
- All components are delivered directly mounted on the cart and secured with a strap (pallet L0.80 x W0.80 x H2.20m).





SAFETY STEPLADDERS



A PIRL-STANDARD STEPLADDER, PRACTICAL AND STURDY

PIRL = Light Individual Rolling Platform

Developed in conjunction with the labor inspectorate and Carsat Rhône-Alpes



SECURITY ASSURED



Hinged guardrails
Much more convenient than a strap or chain



Grating steps
Deep, slip-resistant and easy to clean. Robust shape.



OPTIMAL MOBILITY



Spring-loaded wheels
Move without lifting. Easy to move, simply by foot.



Inner wheels
Pour s'approcher au plus près du mur et de la tâche à effectuer.

PRATICAL



Tool tray + hook
to keep tools and coatings close at hand. Heavy-duty folded aluminum tray.



Easy to transport
thanks to a handle balanced on an upright.



Raised rear tube
Handy in the event of an obstacle (e.g. toilet...). (Except on 50cm model).



Flash this to see the Gardia in action !

GUARANTEES MONDELIN



Compliant with decree 2004-924

> FSC-certified non-slip plywood top

> 10-year guarantee




NEW

> NEW DIMENSION

- New height of 140 cm, i.e. 6 steps
- Maximum working height of 3.40m
- With quick-deploy stabilizers

> AUTOMATIC GUARDRAILS



- All sizes are available with a self-closing gate:
- > The PIRL remains identical, only the railings change.
- > Spring-loaded railings automatically return to the closed position.



A COMPLETE RANGE



50 cm
1 step
+ platform



70 cm
2 steps
+ platform



90 cm
3 steps
+ platform



110 cm
4 steps + platform
With stabilizers



140 cm
5 steps + platform
With stabilizers

	50 CM	70 CM	90 CM	110 CM	140 CM
Number of steps including the platform	2	3	4	5	6
Max. work height cm	250	270	290	310	340
Wheelbase - cm	66 x 88	69 x 107	81 x 126	132 x 145 stabilizers deployed	165x195 stabilizers deployed
⚖ kg	15	16,8	17,5	21	23
Size. folded -cm	66 x 167 x 26	69 x 193 x 26	81 x 219 x 26	86 x 245 x 26	275 x 97 x 26
Ref.	202100	202110	202120	202130	202140
Ref. with automatic guardrails	202150	202160	202170	202180	202190

OPTIONAL :



Crane ring
2 rings to screw on (screws included)
Ref : 202103



Bucket holder
To keep your paint bucket close (comes with a strap to secure the buckets)
Ref : 202102



PIRL PLATFORM

INDIVIDUAL PLATFORM



QUICK INSTALLATION IN 1 MINUTE



- Only 3 pieces to assemble (platform + 2 guardrails)
- No need to deploy stabilizers, they are built into the legs

SECURITY ASSURED

- Locking feet and railings
- Deep, comfortable steel grating steps
- 4 fixed stabilizer feet
- Anti-fall baseboards
- Wicket door with mechanical lock

OPTIMAL WORKING COMFORT

- 93 x 40 cm wide platform in non-slip plywood
- 7 working heights from 2.60m to 2.90m
- Overall width of 69 cm, allowing passage through a doorway without folding up the platform
- Easy to transport, the guardrails are placed on the folded platform.



Flash this to see the Ninja in action !

7 WORKING HEIGHTS



260 / 265 / 270 / 275 / 280 / 285 / 290 cm

EASY TO TRANSPORT




93x40 cm platform in non-slip plywood



Guardrails and locking feet for optimum safety

MONDELIN GARANTEES



Complies with the PIRL standard and the safety requirements of decree 96 333 of 10/04/1996

- In painted steel
- Registered design
- FSC-certified non-slip plywood top
- 5-year warranty



Ref : 500610



29,4kg

STEPLADDERS



ALUMINIUM STEPLADDERS EXTREMELY ROBUST




NEW
- Integral aluminum tool holder keeps tools close at hand.
- Ultra-robust



NEW
- XXL access ramp for safe climbing and comfort




Flash this to see our stepladders in action !



ROBUST

- 2 mm-thick aluminum, particularly thick and sturdy
- Double assembly of treads on uprights by mechanical mortise-and-tenon joint, resistant and anti-rotation
- Corrosion-resistant epoxy paint



STABLE



- Non-slip glides and a flare for greater stability



- Wide, deep 9 x 37 cm grating steps

PRATICAL



- Raised rear tube for obstacles (e.g. toilets) on all sizes



- Tool-holding shelf for tools or plaster pots



70 cm
2 steps
+ platform

90 cm
3 steps
+ platform

110 cm
4 steps
+ platform

140 cm
5 steps
+ platform

Height of the platform	70 CM	90 CM	110 CM	140 CM
Number of steps including the platform	3	4	5	6
Max. work height - cm	270	290	310	340
Size. folded - cm	70 x 151 x 19	70 x 174 x 19	70 x 203 x 19	70 x 229 x 19
Height unfolded - cm	137	159	182	205
△-kg	10	11,2	12,5	13,7
Wheelbase - cm	86 x 70	105 x 70	125 x 70	144 x 70
Réf	201950	201960	201970	201980



STEP-TOOLS



STEP-TOOLS MULTI

**1 TOOL =
4 USES**



Flash this to see the MULTI in action !



**STEPS TOOLS
WITH SHELF**



TRESTLE



WORK PLAN



CUTTING SUPPORT



- Platform height: 47 cm
- Folded size: 1040 x 705 x 170 cm
- Clip&Go system for quick adjustment of swivel arm


Ref : 201830



- FSC-certified non-slip plywood top



ALUMINIUM FOLDING STEP-STOOL



Extra-wide, deep, easy-to-clean cast aluminium grating treads



Platform in FSC-certified non-slip wood



4 anti-slip feet

5.7 kg

Folding



CONSTRUCTION ROBUST

- Robust assembly using mortise-and-tenon and robotic welding
- Easily foldable and transportable
- Locking system in open position for added safety
- Transport facile grâce à la poignée

Size.	70cm	90cm
Ref	201700	201710





WORKBENCH *Thales*



ULTRA-COMPACT

5 cm



ULTRA-ROBUST

- Robust tubular steel construction with robotized welds
- 60x80 cm thick non-slip tray

COMPACT & ERGONOMIC

- Ultra-compact when folded, 5 cm thick
- 3 adjustable heights: 75, 80 and 85 cm

PRATICAL

- Space for screws and screwdrivers
- Cutting zones for threaded rods and small tubes
- Integrated 50 cm stainless steel ruler
- 2 places for clamps

Flash this to see the THALES en action !



12kg

Ref : 500700

TRESTLES



FOLDED TRESTLE

- Wooden beam to protect the workpiece
- Feet lock in open or closed position



Ref : 113000



ADJUSTABLE TRESTLE

- Wooden beam to protect the installed part
- Spring-loaded pins for secure locking
- Adjustable from 80 to 130 cm



Ref : 113010





TROLLEYS & HAND TRUCKS

AXIS HAND TRUCK



REINFORCED AXIS UNBEATABLE



REINFORCED
AXIS 4mm thick

- >> Puncture-proof wheels Ø 250 mm
- >> Fixed shovel + folding shovel
- >> Closed multi-position handles
- >> Horizontal loading possible

Ref : 601020

Spare wheel x1
Ref : 601028



Flash this to
see the video !



WORKING
LOAD



CE compliant,
Directive 2006/42/CE



TROLLEYS *Swift*

- 4 Ø 75 mm and 360° castors with brakes
- FSC-certified, 18 mm thick, non-slip top with rounded edges and corners



- Poignée pliante, escamotable sur le dessous, non dépassante une fois repliée
- 7,8 kg
- Plateau de 80 x 50 cm

Ref : 114370



Flash this to see
the SWIFT in
action !

HANDLING TROLLEY

- Lightweight 3.3 kg
- 57.5 x 29 cm tray

Ref : 114300



- Lightweight 3.2 kg
- 40 x 40 cm tray

Ref : 114320





NEW

FLASH



THE TELESCOPIC LAMP ON TRIPOD WITH 2 SWIVEL HEADS



ULTRA-COMPACT

- Ultra-compact when closed, with handle for easy transport
- When closed, lamps are perfectly protected for longer life
- Deploys very quickly in just 5 seconds
- With telescopic arm that extends up to 2 m
- Folded size: 120 x 120 x 890 mm



MODULABLE

- Heads can be rotated independently through 360°.
- 2 types of light: warm or cool



PERFORMANCE


- Operates on 4000mAh Li-ion battery - 7.3V
- Charger: 8.4V 3A
- 3 wattages: 500 / 1500 / 5000 lumens with corresponding operating times of 5 h / 2.5 h / 1 h
- Operates at medium power when recharged from mains
- IP54 protection: splashproof and dustproof
- Complete charging time: 6 h
- Robust aluminium design



CARRYING CASE INCLUDED



Ref : 865070





www.moboutillage.com



► Products

Find all catalog references and explosion-proof range.

► Catalogs

Download catalogs according to your needs and your business.

► News

Events, tutorials, innovations and user feedback...

► Where to buy

Access a detailed map to find your nearest seller !

► MOBlist

Create and transfer a tool list and transfer it.

► Distributors area

Place all your orders directly on the website.



CONTACT US !



FOLLOW OUR NEWS




NOVALIA SAS

2, rue de Bergognon
42500 Le Chambon-Feugerolles
France

+ 33 (0) 4 77 40 49 49
novalia@novalia.pro

Your distributor :



Ref PB 2025 : 0000060701

Phillips®, Pozidriv®, Torx®, Tamper Torx®, Torq Set®, Tri-wing, Circlips® are trademarks of companies other than NOVALIA, and are the property of their owners. Offer valid until 12/31/2025 while stocks last. Document, photos and texts non-contractual. Do not dispose of in public. Adobe stock photos. NOVALIA reserves the right to modify any information contained in this document without prior notice.